




Quality Guaranteed

COMPANY PROFILE 2024-25





ABOUT THE COMPANY

PLASCO PIPES INDUSTRIES (Pvt) Ltd is recognized around Pakistan as one of the leading manufacturers of **uPVC, SWV, PPRC, Electrical Conduit, HDPE & MDPE Pipes & Fittings** that is ever ready to undertake even the most demanding projects.

Our adherence to the highest ethical and professional standards is integral to the concept of quality, acting as a hallmark of our industry leadership. As an organization, our aim is to augment our value proposition and provide our clients with the best user experience. Our commitment to clients is also backed up by extensive technical support, after sales service and comprehensive level of stock for immediate response to customer's requirements.

The remarkable quality of our production is the result of careful supervision, streamlined processes and compliance with several national and international standards. The company has been certified to **ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018**. As a mark of appreciation of quality manufacturing practices, we are approved by leading specifying bodies in Pakistan like PSQCA, HUD & PHED, C&W, Building department & MES etc.

We at **PLASCO** have established state of the art manufacturing setup which includes latest high tech automatic extrusion systems with a well-equipped testing laboratory. Our working conditions and factory environment supports innovation and creativity. Our production plant is located on Main G.T Road, Gujrat.

OUR OFFICES

01**Head Office**

G.T Road, Bypass, Gujrat

02**Islamabad Office**2nd Floor, Plaza No. 8, Tulip Road,
DHA Phase 2**03****Lahore Office**119 Main Boulevard,
2nd Floor, DHA Phase 6**04****Quetta Office**Al-Rahman Plaza,
Model Town**05****Karachi Office**

0303-7771135

CEO MESSAGE

“



**CHAUDHRY
PERVAIZ IQBAL**

Since its conception in 2006, PLASCO Pipes Industries (Pvt) Ltd. has been delivering outstanding quality products while building a solid business foundation. We aim to continue this trajectory into the future and maintain our position as the leading manufacturer in the industry.

We are indeed proud of our progress and humbled to have been successful at maintaining our growth, despite the growing challenges in our business domain. Our predominance in the industry is a direct result of PLASCO prioritizing the quality of its products and diligently adopting all international quality standards. We ensure the safety and comfort of both our workforce and our valuable customers. Our prodigious experience enables us to identify and address shifts in the demands of our industry and to create promising solutions for our consumers.

We remain fully committed to strengthening our capabilities and to stay consistent in offering the highest quality in our products. Our team of highly skilled professionals work diligently to understand the advancing requirements and consequently provide beyond the set expectations in our relationship with our esteemed clientele.

We confidently assure that quality and reliability are our priorities.




PRODUCT PORTFOLIO



SWV PIPES & FITTINGS

BS-4514, EN-1329 & EN-1401
Size Range: 32mm to 450mm
BS-3505
Size Range: 2" to 18"
ASTM D-2466
Fittings: SCH-40: 2" to 8"



GAS PIPES & FITTINGS

ISO-4437
Size Range: 20mm to 160mm
ASTM D-2513
Size Range: 1/2" to 6"



PRESSURE PIPES & FITTINGS

BS-3505 & PS-3051
Size Range: 1/2" to 18"
ASTM D-1785, SCH-40 & SCH-80
Size Range: 1/2" to 18"



PRODUCT PORTFOLIO



PPRC PIPES & FITTINGS

DIN 8077/8078, DIN 16962
Pipe Size Range: 20mm to 160mm
Fittings Size Range: 20mm to 110mm



ELECTRICAL CONDUIT PIPES & FITTINGS

PS-1905, BS-6099
Size Range: 1/2" to 6"



HDPE PIPES & FITTINGS

ISO-4427, DIN 8074/8075 & PS-3580
Size Range: 20mm to 1600mm





OUR FOCUS



QUALITY

Our whole manufacturing process is designed to enhance quality of our products through continuous QC & QA, thus providing the latest, state of art, and most reliable products to the market.



CUSTOMER SERVICE

Customer service is the primary focus of our human resource team. Our customers have direct access to an experienced technical and sales team to address any questions they may encounter regarding our products and their applications.



TECHNOLOGY

We seek to produce homogenous and high quality finished goods to meet the challenges of the demands of our valued customers. We believe in teamwork and comprise of a devoted, dedicated and assiduous team of professionals employed at all levels for improving and attaining new skills in operations, management and R&D.



WORKSHOPS & ORIENTATION SESSIONS

We at PLASCO believe in workshops and training sessions to equip our team with state of the art skills and expertise required to standout in the field and provide our customers with best quality services. We are proud to declare that these sessions are conducted in-house, and exclusive sessions are also arranged for different departments.



CUSTOMER FEEDBACK

Our Marketing & Sales department is responsible for conducting surveys, taking regular feedback from our customers to monitor their satisfaction level. Feedback is taken from customers either through survey, questionnaire, phone calls and/or personal visits. These results are compiled and analysed to monitor the customer satisfaction levels and facilitate improvements in our product and service standards.

OUR PRINCIPLES

PLASCO is focused on introducing products that serve as benchmark of quality for the piping industry. The aim is to ensure that every pipe that passes through our manufacturing processes is an epitome of the characteristics that the industry looks for. With material and technological enhancements, PLASCO is moving towards meeting newer standards every day, thereby keeping up with the modern-day requirements of all sectors of the industry.



PLASCO is continuously striving to enhance quality of living by playing our part, and providing the latest and most reliable products to the market.



We use only the best quality raw materials available in the market.



Our whole production process is directed towards manufacturing products that serve as benchmark for the industry to follow.

OUR MISSION

PLASCO aims to revolutionize Pakistan's piping industry and add value to the customer experience. We believe in continuous improvement in processes and technology. PLASCO has always been a step ahead of the market to enhance its material quality, procedures, technology integration, and quality of working environment. In this regard we continue to:



Receive approvals & accreditations from organizations like ISO that serve as assets to improve our visibility in the market



Integrate modern methods of manufacturing to reduce waste, cut down on emissions and become more efficient



Meet the stated industry requirements, as well as the requirements that our clients put forward to make sure they remain satisfied



QC & QA LABORATORY

At PLASCO we believe in quality and ensure it at every step of our manufacturing process. Our state-of-the-art laboratory is engaged in our mission of providing quality to our customers. We ensure QC & QA at every step of our supply chain beginning with testing of raw materials acquired by the internationally and nationally recognized raw material providers followed by testing during production and then undergoing testing and inspecting products before delivering the products to the end users.

We are facilitated with the latest equipment which enables our quality controllers to check the process to offer flawless quality products to our clients. Each manufactured batch is carefully inspected at various stages of production to ensure standards are followed. Following tests are performed to ensure quality.

**Impact
Test**

**Opacity
Test**

De-lamination

**Tensile
Strength**

**Water
Absorption
Test**

**Melt Flow
Rate, MFR**

**Fracture
Toughness**

**Heat
Reversion
Test**

**Physical
Parameters
Inspection**

**Specific
Gravity Test**

**Elongation %,
Yield Strength**

**Short Term
Hydrostatic
Pressure Test**


**Long Term
Hydrostatic
Pressure Test**



COVERAGE NETWORK

PLASCO currently operates with one manufacturing site located in Gujrat. Our aim is to ensure timely delivery of stocks to every nook and corner of the country for which we have strong and ever growing network of multiple distributors covering approximately more than 1,000 towns, all across Pakistan.

To ensure comprehensive coverage throughout Pakistan, we provide logistics to handle delivery of our products from our factory to distributors.



PRODUCT PORTFOLIO

ELECTRICAL CONDUIT PIPES & FITTINGS

PLASCO Electrical Conduit products are suitable for power, telephone, and other electrical systems. PLASCO offers a complete line of uPVC Electrical Conduits with schedule 40 fittings. These products may be used for aboveground and underground concrete installations. Electrical Conduit is lightweight, cost-effective, long lasting, and comes with UV protection.



STANDARDS & SPECIFICATIONS

- ✓ PS-1905, BS-6099

AVAILABLE SIZES

- ✓ Size Range: 1/2" to 6"

FIELDS OF APPLICATION

- ✓ Telecom cable ducting
- ✓ Complete wiring systems
- ✓ Electric distribution circuits
- ✓ Over and under ground circuits
- ✓ House, office, and industrial wiring applications

KEY FEATURES



Easy to Install



Durability



High Corrosion Resistant



Non-Conductive



High Mechanical Strength



Fire Retardant

PRODUCT PORTFOLIO

PPRC PIPES & FITTINGS

PPRC Pipes & Fittings are made of the best quality virgin Polypropylene Random Copolymer. PLASCO PPRC Pipes & Fittings are ideal and provide problem-free solutions for all plumbing applications. They are especially recommended for Hot, Cold, and even Chilled water applications.



STANDARDS & SPECIFICATIONS

- ✓ DIN 8077/8078, DIN 16962

AVAILABLE SIZES

- ✓ Pipe Size Range: 20mm to 160mm
- ✓ Fittings Size Range: 20mm to 110mm

FIELDS OF APPLICATION

- ✓ Compressed air
- ✓ Swimming pools
- ✓ Hot and cold water supply
- ✓ Residences and apartments
- ✓ Hospitals, hotels, and offices
- ✓ Chilled water for central air conditioning
- ✓ Various industries (for transportation of aggressive fluids)

KEY FEATURES



Easy to Install



100% Leakproof



High Temperature Resistance



Chemical Resistant



Unbreakable



Corrosion Resistant

PRODUCT PORTFOLIO

SWV PIPES & FITTINGS

PLASCO SWV Pipes & Fittings offer a complete range of soil, waste, and vent pipe system made of un-plasticized polyvinylchloride (uPVC) compound. PLASCO SWV Pipes are manufactured for residential houses, flat and multistorey buildings, industries, and above/underground drainage.



STANDARDS & SPECIFICATIONS

- ✓ BS-4514, EN-1329 & EN-1401
- ✓ BS-3505
- ✓ ASTM D-2466

AVAILABLE SIZES

- ✓ Size Range: 32mm to 450mm
- ✓ Size Range: 2" to 18"
- ✓ Fittings: SCH-40: 2" to 8"

FIELDS OF APPLICATION

PLASCO SWV Pipes & Fittings are popular amongst architects, consultants, engineers, and plumbing contractors due to their unmatched quality.

- ✓ Swimming pools
- ✓ Agriculture/irrigation
- ✓ Disposal of industrial sewerage
- ✓ Water drainage and sewerage of a building
- ✓ Water drainage of civil engineering & roads dropdown

KEY FEATURES



High Flow Rates



100% Leakproof



Durable



Strong & Resilient



High Mechanical Strength



Corrosion Resistant

PRODUCT PORTFOLIO

PRESSURE PIPES & FITTINGS

PLASCO uPVC Pressure pipes are widely accepted for use in water supply, irrigation, sewerage and cold portable drinking water. PLASCO uPVC Pressure Pipes have special feature of high flow capacity, lower installation costs and longevity.



STANDARDS & SPECIFICATIONS

- ✓ BS-3505 & PS-3051
- ✓ ASTM-1785, SCH-40 & SCH-80

AVAILABLE SIZES

- ✓ Size Range: 1/2" to 18"
- ✓ Size Range: 1/2" to 18"

FIELDS OF APPLICATION

- ✓ Tube-well
- ✓ Chemical industries
- ✓ Agricultural water supply
- ✓ Drip/Micro irrigation system
- ✓ Horticulture and green house irrigation system
- ✓ Water supply system like portable water distribution
- ✓ Pharmaceutical transportation during manufacturing
- ✓ Cold water line for refrigerating and air-conditioning systems

KEY FEATURES



Maximum Flow Rate



Good Insulator



UV Stabilized



Durability



High Mechanical Strength




Chemical Resistant

PRODUCT PORTFOLIO

GAS PIPES & FITTINGS

PLASCO MDPE Pipes & Fittings are made of best quality PE (Polyethylene) compound, which is synthetic pipe grade material made from distillation and cracking of crude oil.



STANDARDS & SPECIFICATIONS

- ✓ ISO-4437
- ✓ ASTM D-2513

AVAILABLE SIZES

- ✓ Size Range: 20mm to 160mm
- ✓ Size Range: 1/2" to 6"

FIELDS OF APPLICATION

- ✓ For disposal of chemical effluent and waste
- ✓ Bio-gas, coal gas & natural gas distribution lines
- ✓ Oil and milk transportation in industries and dairies

KEY FEATURES



Easy Installation



Durability



Flexible



High Strength



Chemical Resistant




Stress-Crack Resistant

PRODUCT PORTFOLIO

HDPE PIPES & FITTINGS

PLASCO HDPE Pipes are made of the best quality PE-100 (Polyethylene) compound which is synthetic pipe grade material made from distillation and cracking and meets ISO classification for materials. PLASCO HDPE pipes are best preferred for potable water supply, irrigation schemes, chemicals and edibles transportation, effluent collection and disposal system, submarine and underwater pipelines, and hydro transport.



STANDARDS & SPECIFICATIONS

- ✓ ISO-4427
- ✓ DIN 8074/8075
- ✓ PS-3580

AVAILABLE SIZES

- ✓ Size Range: 20mm to 1600mm

FIELDS OF APPLICATION

- ✓ Water supply
- ✓ Telecommunication cable ducting
- ✓ External & internal drainage and sewage
- ✓ Oil, Bio-gas, coal gas & natural gas distribution lines
- ✓ Most suitable for submersible pumps and jet purpose
- ✓ In petrochemical paper, dye, paint, cement and chemical industries
- ✓ Disposal of chemical effluent & waste, acid & slurries transportation, Insecticide spraying

KEY FEATURES



All-Climate Resistant



Durability



Corrosion Resistant



High Abrasion Resistant



UV Stabilized



100% Leakproof Joints

PRODUCT PORTFOLIO

HDPE CABLE DUCT PIPES

PLASCO Cable Duct Pipes are made of the best quality Polyethylene compound, which is synthetic pipe grade material made from the distillation and cracking of crude oil.



STANDARDS & SPECIFICATIONS

- ✓ ISO-4472
- ✓ PE-100 raw material

AVAILABLE SIZES

- ✓ Size Range: 20mm to 90mm

FIELDS OF APPLICATION

- ✓ Used for fiber optic cables and other communication lines.
- ✓ For housing electrical wiring in residential, commercial, and industrial buildings.
- ✓ Installed in highways, railways, and airports for routing power, signal, and communication cables.

KEY FEATURES



Easy Installation



Stress-Crack Resistant






Durability



High strength

SECP CERTIFICATE

 SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN CERTIFICATE OF INCORPORATION [Under section 32 of the Companies Ordinance, 1984 (XLVII of 1984)] Company Registration No. 00000017312/20061102 I hereby certify that "PLASCO PVC PIPE INDUSTRIES (PRIVATE) LIMITED" is this day incorporated under the Companies Ordinance, 1984 (XLVII of 1984) and that the company is limited by Shares. Given under my hand at LAHORE this 28 th Day of November, 2006 (Two Thousand and Six.) Fee Rs 90,200/-  (ZAHUR AHMAD) JOINT REGISTRAR OF COMPANIES NO. ARL/ <u>11153</u> DATED: - <u>29/11/06</u> 
--

INCOME TAX CERTIFICATE

Revenue Division
Federal Board of Revenue
 Government of Pakistan



TAXPAYER REGISTRATION CERTIFICATE

ORIGINAL

NTN	2929989-6		
Category	COMPANY-(PRIVATE LTD.)		
Status	RESIDENT		
Reg. / Inc No.	00000017312/20061102	Reg. / Inc Date:	28-NOV-2006
Name	PLASCO PVC PIPE INDUSTRIES (PVT.) LIMITED		
Address	BYE PASS MOHLA, G.T. ROAD, GUJRAT, DISTT: GUJRAT, PUNJAB		
Principal Activity	MANUFACTURE OF PLASTICS PRODUCTS		
Other Activities	1) EXPORTER 2) IMPORTER		
Registered for	Income Tax	w.e.f	25-JUN-2007
	Sales Tax	w.e.f	20-OCT-2007
	(EXPORTER, IMPORTER, MANUFACTURER)		
Representative's	CNIC/ NTN	3420186147029	
	Name	ISHFAQ-AHMED RAZI	
	Email Address	zafarassociatesgujrat@hotmail.com	
Tax Office	RTO SIALKOT		
Business Name	1) REGISTERED FOR SALES TAX w.e.f 20-Oct-2007 PLASCO PVC PIPE INDUSTRIES (PVT.) LIMITED BYE PASS MOHLA, G.T. ROAD, GUJRAT, GUJRAT, PUNJAB		

This Certificate Shall be prominently displayed at a conspicuous place of the premises in which business or work for gain is carried on. NTN number is also required to be indicated on the signboard.

NOTE:- The NTN must be written on all returns, payment challans, invoices, letter heads, advertisements, etc. and all correspondence made with the tax departments.



RGCRT-062012-24902068-13

Date of Printing: 21-JUN-2012



SALES TAX CERTIFICATE

GOVERNMENT OF PAKISTAN
Central Board of Revenue
Islamabad

File No: ST/CRO/CREG/OL/2007/07/12593

CERTIFICATE OF REGISTRATION
Under Sales Tax Act, 1990)

This is to certify that M/s M/S PLASCO PVC PIPE INDUSTRIES (PVT) LTD

address MOHALLAH BYPASS G.T ROAD, GUJRAT
GUJRAT have been registered as

☒ Manufacturer ☒ Importer ☒ Exporter ☐ Distributor

☐ Retailer ☐ Wholesaler ☐ Service Provider

This means that they must

(i) Charge sales tax on all taxable supplies made during the course of taxable activity.

(ii) File a return in the designated bank relating to a month on or before the 15th of the following month, unless otherwise prescribed.

(iii) File a Nil-Return if no taxable activity takes place during a tax period.


(iv) Abide by provisions of Sales Tax Act, 1990, and rules made thereunder.

Their Sales Tax Registration Number is 09-10-3917-006-28

Date of Registration is 20-OCT-2007

and National Tax Number is 2929989


[Note: The Sales Tax Registration number must be shown in the return and on all the invoices issued by them and quoted in all their correspondence with the Sales Tax Department.]


Secretary (Registration)
CENTRAL REGISTRATION OFFICE

ISO 9001:2015 CERTIFICATE

ACS Registrars Pakistan

CERTIFICATE OF REGISTRATION



This is to certify that:

**PLASCO PVC Pipe Industries
(Pvt.) Ltd.**

of

G.T Road, By Pass, Mohla, Gujrat, Pakistan.

has been assessed and registered by ACS Registrars Pakistan (Pvt.) Ltd.
against the following standard requirements:


ISO 9001:2015


The scope of registration is:


Manufacturing of PVC Pipes, UPVC, PPRC, HDPE, PE
and Conduit Pipes and Fittings

Certificate # 192375

Initial Assessment date: June 20 th 2022	Registration date: June 27 th 2022
Expiry date: June 27 th 2025	Re-issue date: June 24 th 2024


Authorized Signature: 





Whilst all due care was exercised in carrying out this management system assessment, ACS Registrars Pakistan (Pvt.) Ltd. accepts responsibility only for proven gross negligence. This is not a legal document and cannot be used as such. This certificate remains the property of ACS Registrars Pakistan (Pvt.) Ltd. to whom it must be returned upon request. For online certificate verification please visit www.acsregistrars.com
Certificate validity may be verified at the address below:


ACS REGISTRARS PAKISTAN (PVT.) LTD.
Suite # 17-G, Al Hafeez View, 67-D/01, Sir Syed Road,
Gulberg-III, Lahore, Pakistan.
E-mail: info@acsregistrars.pk Website: www.acsregistrars.pk



ISO 14001:2015 CERTIFICATE

ACS Registrars Pakistan

CERTIFICATE OF REGISTRATION



This is to certify that:

**PLASCO PVC Pipe Industries
(Pvt.) Ltd.**

of

G.T Road, By Pass, Mohla, Gujrat, Pakistan.

has been assessed and registered by ACS Registrars Pakistan (Pvt.) Ltd.
against the following standard requirements:

ISO 14001:2015


The scope of registration is:



**Manufacturing of PVC Pipes, UPVC, PPRC, HDPE, PE
and Conduit Pipes and Fittings**

Certificate # EMS 192376

Initial Assessment date: June 20 th 2022	Registration date: June 27 th 2022
Expiry date: June 27 th 2025	Re-issue date: June 24 th 2024


Authorized Signature:



Whilst all due care was exercised in carrying out this management system assessment, ACS Registrars Pakistan (Pvt.) Ltd. accepts responsibility only for proven gross negligence. This is not a legal document and cannot be used as such. This certificate remains the property of ACS Registrars Pakistan (Pvt.) Ltd. to whom it must be returned upon request. For online certificate verification please visit www.acsonline.com. Certificate validity may be verified at the address below:

ACS REGISTRARS PAKISTAN (PVT.) LTD.
Suite # 17-G, Al Haftez View, 67-D/01, Sir Syed Road,
Gulberg-II, Lahore, Pakistan.
E-mail: info@acsregistrars.pk Website: www.acsregistrars.pk



ISO 45001:2018 CERTIFICATE

ACS Registrars Pakistan

CERTIFICATE OF REGISTRATION

This is to certify that:

PLASCO PVC Pipe Industries (Pvt.) Ltd.

of

G.T Road, By Pass, Mohla, Gujrat, Pakistan.

has been assessed and registered by ACS Registrars Pakistan (Pvt.) Ltd.
against the following standard requirements:

ISO 45001:2018

The scope of registration is:

Manufacturing of PVC Pipes, UPVC, PPRC, HDPE, PE
and Conduit Pipes and Fittings

Certificate # OH&S 192377

Initial Assessment date: June 20 th 2022	Registration date: June 27 th 2022
Expiry date: June 27 th 2025	Re-issue date: June 24 th 2024


Authorized Signature:

Whilst all due care was exercised in carrying out this management system assessment, ACS Registrars Pakistan (Pvt.) Ltd. accepts responsibility only for proven gross negligence. This is not a legal document and cannot be used as such. This certificate remains the property of ACS Registrars Pakistan (Pvt.) Ltd. to whom it must be returned upon request. For online certificate verification please visit www.acsonline.com.
Certificate validity may be verified at the address below:

ACS REGISTRARS PAKISTAN (PVT.) LTD.
Suite # 17-G, Al Hafseer View, 67-D/01, Sir Syed Road,
Gulberg-III, Lahore, Pakistan.
E-mail: info@acsregistrars.pk Website: www.acsregistrars.pk

MAJOR INFRASTRUCTURE

- ✓ NUST
- ✓ Eiffel (Islamabad)
- ✓ Servis Industries
- ✓ Kartarpur Corridor
- ✓ Bolari Air Base
- ✓ Shahbaz Air Base
- ✓ Noor Khan Air Base
- ✓ University of Gujrat
- ✓ Greater Iqbal Park (Lahore)
- ✓ Faisalabad Industrial Zone
- ✓ DHA VILLAS Bahawalpur
- ✓ CMH (Lahore)
- ✓ CMH/MH (Rawalpindi)
- ✓ Orange Line Metro Train System
- ✓ Bacha Khan International Airport
- ✓ Housing Directorate (Nationwide)
- ✓ Punjab Mass Transit Authority (Multan)
- ✓ Punjab Mass Transit Authority (ISB & RWP)
- ✓ Punjab Mass Transit Authority (Multan)



HIGHRISES/ MULTISTORY BUILDINGS

— ISLAMABAD

- ✓ Lignum Towers
- ✓ Heaven Heights
- ✓ El Cielo (DHA-2)
- ✓ Zarkoon Heights
- ✓ Florence Galleria
- ✓ Karakoram Heights
- ✓ Bahria Head Office
- ✓ Amazon Mall 1 & 2
- ✓ J7 Icon, Mumtaz City
- ✓ King Hammad University
- ✓ Kotjabi (Appartments)
- ✓ Axis Mall
- ✓ Aries Mall
- ✓ Grand Hyatt
- ✓ Gulberg Mall
- ✓ Creek Heights
- ✓ Telenor Tower
- ✓ La Vista World
- ✓ Galaxy Heights
- ✓ Serene Heights
- ✓ Centaurus Mall
- ✓ IT Park
- ✓ Twin Tower Paragon City
- ✓ Fauji Foundation Hospital
- ✓ Royal Mall Bahria Enclave
- ✓ Lifestyle Apartments G-13
- ✓ Centaurus Movenpick Hotel
- ✓ IBECHS Residency GULBERG Greens
- ✓ Dolmen Mall Lahore
- ✓ Packages Mall Lahore
- ✓ Apartments Park View City
- ✓ E-8 Soldiers Flats Islamabad



HIGHRISES/ MULTISTORY BUILDINGS

LAHORE

- ✓ Hyde Park
- ✓ Haly Tower
- ✓ AWT Tower
- ✓ Penta Square

OTHER CITIES

- ✓ Mall of Sialkot
- ✓ Imitiaz (Gujrat)
- ✓ World Trade Center
- ✓ FC Hospital (Peshawar)
- ✓ Indus Hospital (Karachi)
- ✓ Ramada Hotel (Murree)
- ✓ Sheraton Golf and Country Club
- ✓ Ramada Hotel Gilgit



HOUSING SOCIETIES/ LAND DEVELOPMENT

- ✓ DHA Quetta
- ✓ DHA Multan
- ✓ DHA Peshawar
- ✓ DHA Islamabad
- ✓ DHA Gujranwala
- ✓ DHA Bahawalpur
- ✓ DHA Lahore (Phase 8-9)
- ✓ Lake City
- ✓ Chahar Bagh Lahore
- ✓ Mumtaz City Naval Anchorage
- ✓ Lahore Smart City
- ✓ Royal Grace Villas
- ✓ Pakistan Naval Farms Barakoh
- ✓ Romanza Golf and Country Club (Multan)
- ✓ PCB Askari Society
- ✓ Grand City Kharian
- ✓ City Housing Society
- ✓ Golf City (Islamabad)
- ✓ Eighteen (Islamabad)
- ✓ Bahria Town Islamabad
- ✓ Taj Residencia (Islamabad)
- ✓ Capital Smart City (Islamabad)
- ✓ New Metro City (Sarai Alamgir)
- ✓ Pearl Residencia, Toba Tek Singh
- ✓ Royal Orchard Housing Scheme Multan/ Sahiwal
- ✓ Chahar Bagh Lahore
- ✓ Pine Hills Golf Club DHA Phase 5 Islamabad



NOTABLE PROJECTS

- ✓ Nestle Head Office
- ✓ Interloop (Faisalabad)
- ✓ Air University (Kamra)
- ✓ Bestway Cement Plants
- ✓ Fazaia Medical College
- ✓ Army Museum (Lahore)
- ✓ National Foods (FIEDMC)
- ✓ Highland Resort (Islamabad)
- ✓ Rehabilitation of Gujjar Nullah
- ✓ Defence Complex (Islamabad)
- ✓ NLC Head Office Rawalpindi
- ✓ Naval Head Quarters Islamabad
- ✓ DHA Head Office Phase 5 Islamabad
- ✓ Carrefour (Faisalabad, Lahore & Islamabad)
- ✓ Bullehshah Paper Mills Kasoor
- ✓ Riphah University Gulberg Islamabad
- ✓ Serena Hotel Sost
- ✓ Serena Hotel Hunza
- ✓ Serena Hotel Peshawar
- ✓ Meezan Bank HQ (Islamabad)
- ✓ Diplomatic Enclave (Islamabad)
- ✓ Pakistan Ordinance Factory (Wah)
- ✓ Beacon House Head Office (Lahore)
- ✓ Chaman Border Crossing Point (NLC)
- ✓ Garana (Islamabad, Faisalabad, Multan)
- ✓ Agency 21 (Gujranwala, Karachi, Quetta)
- ✓ Saleem Memorial Trust Hospital (Lahore)
- ✓ Bank Branches (Meezan, Bank of Khyber, HBL, UBL)
- ✓ Starch Pack (Pvt) Ltd, Packages Group of Companies
- ✓ Pakistan Children Heart Foundation Lahore
- ✓ Nawaz Sharif Institute of Cardiology Sargodha



NOTABLE PROJECTS

- ✓ Mother care hospital Attock
- ✓ PIMS, Islamabad
- ✓ Polyclinic G11 Islamabad
- ✓ Mother care hospital Layyah
- ✓ University of Applied Engineering and Engineering technology (UAEET) Sialkot
- ✓ Aurum apartments Gulberg Lahore
- ✓ Quadrangle apartments Gulberg Lahore
- ✓ Mall 35 Sadar Rawalpindi



PROJECTS


COMPANIES/CABLE DUCT

- ✓ FWO One Network/Motorway M-Tag
- ✓ DHA Teleman
- ✓ Nayatel Pvt Ltd
- ✓ Cybernet Pvt Ltd
- ✓ Transworld Pvt Ltd
- ✓ Huawei Safe City (Lahore)
- ✓ Mobilink PMCL (Center - II)
- ✓ CR20G 640KM KLM Section III
- ✓ Huawei SCO Pak China Cable Duct
- ✓ M5 Multan Sukkur Motorway CSECC
- ✓ KKH Phase 11 Havelian Thahkot CCCC



WATER SUPPLY SCHEMES

- ✓ Kharian Gulyana Water Scheme
- ✓ WASA Multan (1200mm dia line - 7km)
- ✓ Bolari Air Base (500mm dia line - 15km)
- ✓ LDA Orange Line (800mm dia line - 5km)
- ✓ Shahbaz Air Base (630mm dia line - 7km)
- ✓ DHA Lahore Phase 8 (560mm dia line - 8km)
- ✓ DHA Lahore Phase 8 (800mm dia line - 8km)
- ✓ CDA Ataturk Avenue (450mm dia line - 5km)
- ✓ Khattak Belt & Isa Khel Water Supply Scheme
- ✓ PHED Mianwali Water Supply Scheme
- ✓ PHED Balochistan Water Supply Scheme
- ✓ PHED Gujrat District Water Supply Scheme
- ✓ PHED Sialkot District Water Supply Scheme
- ✓ PHED Narowal District Water Supply Scheme
- ✓ PHED Dera Ghazi Khan Water Supply Scheme
- ✓ PHED Hafizabad District Water Supply Scheme
- ✓ PHED Gujranwala District Water Supply Scheme
- ✓ PHED Mandi Bahauddin District Water Supply Scheme




ENERGY SECTOR POWER PLANT PROJECTS

- ✓ Mohmand Dam
- ✓ Diamer-Bhasha Dam
- ✓ Head Khanki Descon
- ✓ Uch Sharif Power Plant
- ✓ Mangla Uprising Project
- ✓ Dasu Hydro Power Plant
- ✓ Sahiwal Coal Power Plant
- ✓ Gulpur Hydro Power Plant
- ✓ Nishat Chunain Power Plant
- ✓ Karot Hydro Plant (TGDC 1&2)
- ✓ Patrind Power Plant (Daewoo)
- ✓ Chashma Nuclear Power Plant





ROADS/ HIGHWAYS

- ✓ Swat Motorway
- ✓ Ring Road (Lahore)
- ✓ Signal Free (DHA Lahore)
- ✓ CPEC Gilgit Package FW0
- ✓ Sialkot Lahore Motorway
- ✓ Signal Free Jail Road (Lahore)
- ✓ M5 Multan Sukkur Motorway



APPROVAL FROM ENVIRONMENTAL PROTECTION DEPARTMENT



RENEWAL OF REGISTRATION PHED



GOVERNMENT OF THE PUNJAB
PUBLIC HEALTH ENGINEERING DEPARTMENT
(NORTH ZONE) LAHORE

Ph: 042-99212674 / 042-99212675

Memo No. 40 /WS(4), dated: 22-10-2020

RENEWAL OF REGISTRATION

M/s Plasco Pipe Industries(Pvt) Ltd.Gujrat is hereby provisionally renewed in Public Health Engineering Department (PHED) upto 31-12-2020, in accordance with the notified BS:3505-1991(PSS:3051-1991)as approved manufacturer / supplier of uPVC Pipes for sizes 2" dia (D-Classes), 3",4",6",8",10" and 12" dia (B-Class) under the brand name of "Lasani Brand" (already approved with HUD&PHED), as manufacturer / supplier of above mentioned sizes with the following conditions.

- i) The manufacture will provide the pipe delivery details supplied to the Public Health Engineering Department on monthly basis.
 - ii) Monthly Sales Tax return and summary of sales submitted on line to Sales Tax collectorate must also be submitted to Public Health Engineering Department (PHED), for its verification.
 - iii) Any amendments in terms & conditions will be abided by the manufacturers.
2. The firm will be 100% responsible for the quality of the pipes supplied to the contractors and in case of any complaint from field regarding the quality / specifications of Pipes supplied, the firm will be responsible.
 3. The firm will be bound to supply a test report (alongwith other documents) of pipes supplied for each delivery to contractors / Public Health Engineering Department (PHED). Any short fall in quality will result an immediate legal action and blacklisting of firm.
 4. The case of further renewal will be considered after fulfillment of terms & conditions mention above and visit of the Firm by the Technical Committee.
 5. The renewal letter can be withdrawn by the department at any time.
 6. The N.T.N of the firm is 2929092-6

Chief Engineer (North) Punjab
Public Health Engg. Department
Lahore

No. & Date Even.

A copy is forwarded for information to:-

1. The Accountant General Punjab, Lahore.
2. The Director General Accounts (Works) Lahore.
3. The Secretary, Government of the Punjab, LG&CD Department.
4. The Secretary, Government of the Punjab, Industries Department.
5. The Secretary, Government of the Punjab, Environment Protection Department.
6. The Director General, PHATA Lahore.
7. The Director General, LDA, FDA, RDA, MDA, & GDA, Gujranwala.
8. The Chief Engineer (North/South) PHE Department Lahore.
9. The Managing Director, WASA, LDA, FDA, RDA, MDA, & GDA, Gujranwala.
10. The Superintending Engineer, PHE Circle, Lahore, Faisalabad, Multan, Sahiwal, Gujranwala, Rawalpindi, Sargodha, Bahawalpur and D.G.Khan.
11. PS to Secretary, HUD&PHE Department.
- ✓ 12. M/s Plasco Pipe Industries(Pvt) Ltd. G.T.Road, Bypass Mohalla, Gujrat

Deputy-Director (Works)
For Chief Engineer (North)
Public Health Engg. Department
Lahore

RENEWAL OF REGISTRATION PHED



CE(N/R/R/HDPE/03/WS(4)2020-21
OFFICE OF THE CHIEF ENGINEER
PUBLIC HEALTH ENGINEERING DEPARTMENT
(NORTH ZONE) LAHORE
Ph: 042-99212674-75

Dated Lahore, the 12th November, 2020

RENEWAL OF REGISTRATION

M/s Plasco PVC Pipe Industries (Pvt.) Ltd, Gujrat is hereby renewed for the year 2020-21, as per PSS: 3580/1997(R) as approved manufacturer / supplier of **HDPE Pipe**, under the brand name of "**Lasani Brand**" in Public Health Engineering Department (PHED) for the following sizes:

Sr.#	Pipe Outer Dia Sizes	Nominal Pressure and Pipe sizes	Material Designation
1.	50mm, 63mm, 75mm, 110mm, 160mm, 250mm, 315mm, 355mm, 400mm, 450mm, 500mm	PN-10 SDR-17	PE-100
2.	315 mm	PN-12.5 SDR-13.6	PE-100
3.	90mm, 110mm, 160mm, 200mm, 250mm, 315mm, 355mm, 400mm, 450mm, 500mm, 560mm, 630mm, 710mm, 800mm	PN-8 SDR-21	PE-100
4.	800 mm	PN-6 SDR-26	PE-100

2. The above named firm is registered in Public Health Engineering Department (PHED) with the following conditions:

- The manufacturer will provide the pipe delivery details supplied to the Public Health Engineering Department on quarterly basis.
 - Monthly Sales Tax return and summary of sales submitted on line to Sales Tax collectorate must also be submitted to Public Health Engineering Department (PHED) for its verification.
 - Any amendments in terms & conditions will be abided by the manufacturers.
3. The firm will be 100% responsible for the quality of the pipes supplied to the contractors and in case of any complaint from field regarding the quality / specifications of pipes supplied, the firm will be responsible.
4. The firm will be bound to supply a test report (alongwith other documents) of pipes supplied for each delivery to contractors / Public Health

Handwritten signature

Engineering Department (PHED). Any short fall in quality will result an immediate legal action and blacklisting.

- The case of further renewal will be considered after fulfillment of terms & conditions mentioned above.
- The renewal letter can be withdrawn by the Department at any time.
- The N. T. N. of the firm is **2919989-6**

Handwritten signature
Chief Engineer (North) Punjab
PHE Department Lahore

No. & Date Even:

A copy is forwarded for information to:

- The Accountant General Punjab, Lahore.
- The Director General Accounts (Works), Lahore.
- The Secretary, Government of the Punjab, LG&CD Department.
- The Secretary, Government of the Punjab, Industries Department.
- The Secretary, Government of the Punjab, Environment Protection Department.
- The Director General, PHATA, Lahore.
- The Director General, LDA, FDA, RDA, MDA & GDA, Gujranwala.
- The Chief Engineer (North/South) PHE Department, Lahore.
- The Managing Director, WASAs, LDA, FDA, RDA, MDA & GDA, Gujranwala.
- The Superintending Engineer PHE Circle, Lahore, Faisalabad, Multan, Sahiwal, Gujranwala, Rawalpindi, Sargodha, Bahawalpur and D. G. Khan.
- PS to Secretary, HUD&PHE Department
- M/s Plasco PVC Pipe Industries (Pvt.) Ltd, G.T. Road, Bypass, Gujrat.



Handwritten signature
Deputy Director (Works)
For Chief Engineer (North) PHED
Lahore

LICENSE PAKISTAN ENGINEERING COUNCIL



RENEWAL LETTER

C&W DEPARTMENT PUNJAB


BUILDING RESEARCH STATION


Communication and Works Department, Govt. of Punjab, Lahore

✓ M/s Plasco PVC Pipes,
Industries Pvt. Ltd., G.T. Road Bypass,
Gujrat.


Ref: No.: 102-RB/32
Dated: 6th January, 2025

Subject: **RENEWAL OF FIRM OF M/S PLASCO PVC PIPES, INDUSTRIES PVT. LTD., G.T. ROAD BYPASS GUJRAT AS APPROVED MANUFACTURER / SUPPLIER OF HDPE, UPVC (CONDUIT PRESSURE & DRAIN) & PPRC PIPES AND FITTINGS BRAND NAME: "PLASCO PIPES" IN PUNJAB BUILDINGS DEPARTMENT (C&W DEPARTMENT) FOR THE YEAR 2024-25.**

Reference: Approved by the enlistment committee in its meeting held on 15.10.2024 (Agenda No.2, Serial No.11)


Your firm has been approved by the Competent Authority for Registration/Enlistment/ Renewal as Manufacturer /Supplier of "HDPE, UPVC (Conduit Pressure & Drain) & PPRC Pipes and Fittings Brand name: "Plasco Pipes" only for the year 2024-25 in Punjab Building Department /C&W Department (registration/renewal fee deposited vide GR No.52366 dated 03.01.2025) in term of the Secretary to Government of the Punjab, Communication & Works Departments, Lahore Notification No. SOB-II/78-Vol-II (Part-II) dated 26.10.1999, No.SOB-II (C&W) 2-11/78, dated 27.10.2017 and even No. dated 13.12.2018 subject to the following conditions:-

1. Should the Department be dis-satisfied with the quality for the products, behaviour, conduct and technical efficiency, the Chief Engineer, Punjab Research & Design Department, may remove your name from the approved list of manufacturer even black list you, debarring you from manufacturing/supplying throughout the Punjab in any Government Department without assigning any reason.
2. You are not allowed to change the name of the firm/factory. In case of change of name you will have to seek fresh enlistment.
3. You will have to produce the Government receipt at the time of supply of your products, if demanded by the staff of Buildings Department. The said Government receipt has also to be produced at the time of renewal of your firm/factory for the next financial year.
4. If you apply for renewal after the expiry of due date i.e. 30th June of proceeding financial year, you would be liable to pay a penalty @ 25% of the renewal fee per quarter.


Assistant Director-II
 for Director

A copy is forwarded for information and necessary action to:-


1. The Secretary, Govt. of the Punjab, Communication & Works Department, Lahore.
2. The Addl. Secretary (Tech-II), Communication & Works Department, Lahore.
3. The Chief Engineer, Punjab Research & Design Department, Lahore with respect to letter No. CE(R&D)Enlistment/1000 dated 01.08.2024.
4. The Director, (P&D), Punjab Buildings Department, Lahore.
5. All Chief Engineers in Communication & Works Department, Punjab.



Near Quaid-e-Azam Campus. University of the Puniab. Lahore-54590. Pakistan

STANDARDIZATION LETTER

C&W KPK



**GOVERNMENT OF KHYBER PAKHTUNKHWA
COMMUNICATION & WORKS DEPARTMENT**


NO.SO(B)/II-10/Standardization/PBC/2021-22/C&WD
Dated Peshawar the: 11/05/2022

To

The Director,
M/S Plasco Pipes Industries (Pvt) Ltd,
G.T Road, By Pass, Gujral.

Subject: - **STANDARDIZATION OF ENGINEERING PRODUCTS.**


I am directed to refer to your application on the subject noted above and to state that the **M/S PLASCO PIPES INDUSTRIES (PVT) LTD** is standardized by Standardization Committee of Khyber Pakhtunkhwa. The above firm has been registered for product **I. HDPE PIPES AND FITTINGS FROM 20 MM TO 800 MM, (PS 3580, DIN 8074/8075, ISO 4427) II. UPVC PRESSURE PIPES AND FITTINGS FROM (1" TO 18" PIPES) & (2" TO 8" FITTINGS) (BS 3505, PS 3051).** A certificate of standardization bearing **Registration No. 0114** dated 05/04/2022 is attached (in Original) for your information and further necessary action. The certificate is valid for a period of **three years (03)** from the date of issue.


(Engr. Babar Saleem)
Section Officer (Buildings)


Endst: No. & Date Even:

Copy forwarded to the:

1. PSO to Chief Secretary Khyber Pakhtunkhwa Peshawar.
2. PS to Additional Chief Secretary Khyber Pakhtunkhwa Peshawar.
3. Secretary to Govt. of Khyber Pakhtunkhwa Local Government & Rural Development Department Peshawar.
4. Secretary to Govt. of Khyber Pakhtunkhwa Irrigation Department Peshawar.
5. Secretary to Govt. of Khyber Pakhtunkhwa Public Health Engineering Department Peshawar.
6. Secretary to Govt. of Khyber Pakhtunkhwa Housing Department Peshawar.
7. Director General Peshawar Development Authority Peshawar.
8. Director General Monitoring & Evaluation Planning & Development Department.
9. Director General Small Dams Irrigation Department.
10. Project Director (PMU) C&W Department Peshawar.
11. Chief Engineer (Dev) Irrigation Department Peshawar.
12. Chief Engineer (Centre), C&W Peshawar.
13. Chief Engineer (South-I), C&W Peshawar.
14. Chief Engineer (South-II), C&W D.I.Khan.
15. Chief Engineer (North), C&W (Saidu Sharif) at Swat.
16. Chief Engineer (East) C&W Abbottabad.
17. Chief Engineer (Mega Projects), Peshawar.
18. Chief Engineer (Maintenance), Peshawar.
19. Chief Engineer (Foreign Aid), Peshawar.
20. Chief Engineer (CDO) C&W, Peshawar.
21. Managing Director Pakhtunkhwa Highways Authority Peshawar.
22. Chief Engineer (North) Irrigation Department Peshawar.
23. Director Pakhtunkhwa Highway Authority.
24. Superintending Engineer FATA Circle Public Health Engineering Department Peshawar.
25. Deputy Director (IT) C&W Department Peshawar with the direction to mention the issue and expiry date of the certificate and update the record on the official website.
26. Assistant Director (Centre) PKHA Peshawar.
27. Executive Engineer Highway Division Peshawar.
28. PS to Secretary C&W Department Peshawar.


Section Officer (Buildings)

ENLISTMENT LETTER STANDARDIZATION COMMITTEE KPK



ENLISTMENT LETTER

GILGIT BALTISTAN

No.E6 (17)/2014-15/ 1829
Government of Gilgit-Baltistan
Office of the Chief Engineer
Works Department Gilgit Region.


Dated 22 June, 2015

To **M/s. PLASCO PVC, Pipe Industries (Pvt) Ltd.**
Mohallah by Pass G.T. Road
Gujrat.

Subject: **ENLISTMENT OF CONTRACTOR/FIRMS/SUPPLIER**

As approved by Chief Engineer Works Department Gilgit, you have been enlisted as C-VI class Govt., contractor in Works Department Gilgit-Baltistan (up to tender limit (15,000 million) subject to the following conditions:-

- a. Registration with Pakistan Engineering Council in the relevant category.
- b. Deposition of enlistment fee with any Divisional office of GB PWD.
- c. The enlistment will be renewed for the next calendar year if the works executed by you are found satisfactory.


XEN (Works)
For Chief Engineer
(Mohammad Tayyab)

Distribution.

1. All Circles GB PWD _____
2. All XENs B&R Division GB PWD _____
3. PEC Branch office Gilgit.
4. M/S Micro Star Traders Danyoure Gilgit

ENLISTMENT LETTER ENC BRANCH GHQ

REGISTERED
General Headquarters
Engineer in Chief's Branch
Directorate of Planning & Works
Rawalpindi
Tel: 5271700-245
No. 2001/Regn/Plasco/DP&W/E3
12 Feb 2025

To: DW&CE (Navy) Islamabad
DW&CE (PAF) Chaklala
DW&CE (DPI) GHQ, Rawalpindi
DW&CE (DOI) Rawalpindi
Info: M/S Plasco PVC Pipe Industries (Pvt) Ltd
G-7 Road By Pass Gujrat
Tel No. 053-3589920

Subject: Enlistment / Registration of Manufacturers/Suppliers for MES

1. M/S Plasco PVC Pipe Industries (Pvt) Ltd, Gujrat is enlisted as a manufacturer-cum-supplier with MES in 'Cat-Water Supply /Stores/Fitting for the PVC Conduit pipe & Fittings Dia: 1/2" to 4"'.
2. Enlistment of the firm is valid up to 10 Feb 2027 and will automatically stand canceled/ terminated on the expiry of this date.
3. Relevant data/details of their products/supply items are as under:-
a. The products offered conform national/International Standard Specifications: PPS: 3480-2014(R), ISO 9001: 2015, ISO-14001:2015, ISO 45001:2008
b. Following guaranteed/warranty is offered:-
(1) For replacement - 02 Years
(2) For repairs - 02 Years
(3) Backup/repair services - 05 Years
c. M/S Plasco PVC Pipe Industries (Pvt) Ltd, Gujrat will operate directly all over Pakistan through its distributors.
4. All wings/formations undertaking procurement/incorporation of products covered under this letter shall be responsible to ensure the quality of material as per standard specifications claimed to be followed by the manufacturer/supplier. Feedback about performance of firm and the products be fwd to this Dir by 10 Feb 2027. All wings are requested that only "MES Supply" marked products are procured/ installed in RTE stores/ MES buildings.
5. **Information Addressee Only:**
a. You are also requested to properly mark (engraved preferably) the supplied product as "MES Supply" on the product body and packing.
b. Enlistment certificate bearing serial no. 1952 dated 12 Feb 2025 is enclosed and your registration number will be DP&W/E-2/WS/24/2011 for future correspondence with all MES formations.
c. Your data has been updated/ included in Enlistment Product Module (EPM) available on www.mes.gov.pk which will be automatically removed from this module if you failed to apply for renewal in time.
6. Please acknowledge receipt.

For Engineer-in-Chief
(Muhammad Hamid Hussain)

Encl: Enlistment Certificate No. 1952 (for information addressee only)
Distribution:
1. DW&CE (PMO) C/O JSHQ, Chaklala
2. HQ FWO, R.A Bazar, Rawalpindi
3. MES School, MCE, Rawalpindi
4. Housing Dir, Rawalpindi (Store Sec)
5. All ACEs/CMES/GES
6. HQ SFD
6. DISE
7. ODSC
8. R&D Ctr (Rev Sec)
9. EAM Sec (E-4) Local
10. HQ Engr NLC

Serial No. **1952** Registration No. **DP&W/E-2/WS/24/2011**

**ENGINEER-IN-CHIEF'S BRANCH
CERTIFICATE OF ENLISTMENT/REGISTRATION**

M/S. **Plasco PVC Pipe Industries Pvt Ltd, Gujrat**

HAVE BEEN ENLISTED / REGISTERED IN CATEGORY **"TRUQ"** FOR SUPPLY OF FOLLOWING PRODUCTS

1. PVC conduit pipe & fittings Dia: 1/2" to 4"	2. XXXXX
3. XXXXX	4. XXXXX
5. XXXXX	6. XXXXX

This certificate is valid/renewed up to: **10 Feb 2027**

Brig
For Engineer-in-Chief
(Abdul Sattar Khan)
Date: **12 Feb 2025**

(NON TRANSFERABLE)

P.T.O.

ENLISTMENT LETTER

ENC BRANCH GHQ

REGISTERED
General Headquarters
Engineer in Chief's Branch
Directorate of Planning & Works
Rawalpindi
Tel: 9271700-245
No. 2001/Regn/Plasco/DP&W/E3
12 Feb 2025

To: DW&CE (Navy) Islamabad
DW&CE (PAF) Chaklala
DW&CE (DP) GHQ, Rawalpindi
DW&CE (DCI) Rawalpindi

Info: M/S Plasco PVC Pipe Industries (Pvt) Ltd
G.T Road By Pass Gujrat
Tel No. 053-3599620

Subject: **Enlistment / Registration of Manufacturers/ Suppliers for MES**

1. M/S Plasco PVC Pipe Industries (Pvt) Ltd, Gujrat is enlisted as a manufacturer-cum-supplier with MES in "Cat-Water Supply/Stores/Fitting for the fol products:-

- UPVC Pipe and fittings Dia; 1" to 6"
- PPRC Pipe and fittings Dia; 25mm to 110mm

2. Enlistment of the firm is valid up to 10 Feb 2027 and will automatically stand cancelled/ terminated on the expiry of this date.

3. Relevant data/details of their products/supply items are as under:-

- The products offered conform national/ International Standard Specifications: PSS: 3680-2014(R), ISO 9001: 2015, ISO-14001:2015, ISO 45001:2008
- Following guarantee/warranty is offered:-
 - For replacement - 02 Years
 - For repairs - 02 Years
 - Backup/Repair services - 06 Years
- M/S Plasco PVC Pipe Industries (Pvt) Ltd, Gujrat will operate directly all over Pakistan through its distributors.

4. All wings/ formations undertaking procurement/incorporation of products covered under this letter shall be responsible to ensure the quality of material as per standard specifications claimed to be followed by the manufacturer/supplier. Feedback about performance of firm and the products be fwd to this Dte by 10 Feb 2027. All wings are requested that only "MES Supply" marked products are procured/ installed in RTE store/ MES buildings.

5. **Information Addressee Only:**

- You are also requested to properly mark (engraved preferably) the supplied product as "MES Supply" on the product body and packing.
- Enlistment certificate bearing serial no. 1951 dated 12 Feb 2025 is enclosed and your registration number will be DP&W/E-2/WS/24/2011 for future correspondence with all MES formations.
- Your data has been updated/ included in Enlistment Product Module (EPM) available on www.mes.gov.pk which will be automatically removed from this module if you failed to apply for renewal in time.

6. Please acknowledge receipt.

(For Engineer-in-Chief
(Muhammad Haseeb Hussain))

Encl: Enlistment Certificate No. 1951 (for information addressee only)

Distribution:

1. DW&CE (PMO) C/O JSHQ, Chaklala	6. DIAE
2. HQ FWO, R.A Bazar, Rawalpindi	7. DD&C
3. MES School, MCE, Risalpur	8. R&S Dte (Rev Sec)
4. Housing Dte, Rawalpindi (Store Sec)	9. E&M Sec (E-4) Local
5. All ACEs/CMES/IGEs	10. HQ Engr NLC
11. HQ SPD	

Serial No. **1951** Registration No. **DP&W/E-2/WS/24/2011**

ENGINEER-IN-CHIEF'S BRANCH
CERTIFICATE OF ENLISTMENT/REGISTRATION

M/S **Plasco PVC Pipe Industries Pvt Ltd, Gujrat**

HAVE BEEN ENLISTED / REGISTERED IN CATEGORY "WS" FOR SUPPLY OF FOLLOWING PRODUCTS

1. UPVC pipe & fittings Dia; 1" to 6"	2. PPRC pipe & fittings Dia; 25mm to 110mm
3. XXXXX	4. XXXXX
5. XXXXX	6. XXXXX

This certificate is valid/renewed up to: **10 Feb 2027**

Brig
For Engineer-in-Chief
(Akhtar Saeed Khan)
Date: **12 Feb 2025**


(NON TRANSFERABLE)

P.T.O

ENLISTMENT LETTER

ENC BRANCH GHQ

REGISTERED
General Headquarters
Engineer in Chief's Branch
Directorate of Planning & Works
Rawalpindi
Tel: 9271700-245
No. 2001/Regn/Piasco/DP&W/E3
12 Feb 2025



To: DW&CE (Navy) Islamabad
DW&CE (PAF) Chakdala
DW&CE (DP) GHQ, Rawalpindi
DW&CE (DC) Rawalpindi

Info: M/S Piasco PVC Pipe Industries (Pvt) Ltd
G.T Road By Pass Gujrat
Tel No. 053-3589620

Subject: **Enlistment / Registration of Manufacturers/ Suppliers for MES**

1. M/S Piasco PVC Pipe Industries (Pvt) Ltd, Gujrat is enlisted as a manufacturer-cum-supplier with MES in "Cat-Water Supply/Stores/Fitting for the fol products:-

- HDPE Pipe Dia: 20mm to 630mm
- MDPE Pipe Dia: 1" to 6"

2. Enlistment of the firm is valid up till 10 Feb 2027 and will automatically stand cancelled/ terminated on the expiry of this date.

3. Relevant data/details of their products/supply items are as under:-


- The products offered conform national/ International Standard Specifications:
PSS: 3680-2014(R), ISO 9001: 2015, ISO-14001:2015, ISO 45001:2008
- Following guarantee/warranty is offered:-
 - For replacement - 02 Years
 - For repairs - 02 Years
 - Backup/Repair services - 05 Years
- M/S Piasco PVC Pipe Industries (Pvt) Ltd, Gujrat will operate directly all over Pakistan through its distributors.

4. All wings/ formations undertaking procurement/incorporation of products covered under this letter shall be responsible to ensure the quality of material as per standard specifications claimed to be followed by the manufacturer/supplier. Feedback about performance of firm and the products be fwd to this Dte by 10 Feb 2027. All wings are requested that only "MES Supply" marked products are procured/ installed in RTE store/ MES buildings.

5. **Information Addressee Only:**

- You are also requested to properly mark (engraved preferably) the supplied product as "MES Supply" on the product body and packing.
- Enlistment certificate bearing serial no. 1950 dated 12 Feb 2025 is enclosed and your registration number will be DP&W/E-2/WS/24/2011 for future correspondence with all MES formations.
- Your data has been updated/ included in Enlistment Product Module (EPM) available on www.mes.gov.pk which will be automatically removed from this module if you failed to apply for renewal in time.

6. Please acknowledge receipt.


Col
(Muhammad Hamid Hussain)

Encl: Enlistment Certificate No. 1950 (for information addressee only)

Distribution:

1. DW&CE (PMO) C/O JSHQ, Chakdala	6. D/AE
2. HQ FWO, R.A Bazar, Rawalpindi	7. DD&C
3. MES School, MCE, Risalpur	8. R&S Dte (Rev Sec)
4. Housing Dte, Rawalpindi (Store Sec)	9. ESM Sec (E-4) Local
5. All ACES/CMES/GES	10. HQ Engr NLC
11. HQ SPD	

Serial No. **1950** Registration No. **DP&W/E-2/WS/24/2011**



ENGINEER-IN-CHIEF'S BRANCH
CERTIFICATE OF ENLISTMENT/REGISTRATION

M/S. **Piasco PVC Pipe Industries Pvt Ltd, Gujrat**

HAVE BEEN ENLISTED / REGISTERED IN CATEGORY "WS" FOR SUPPLY OF FOLLOWING PRODUCTS

1. HDPE pipe Dia: 20mm to 630mm	2. MDPE pipe Dia: 1" to 6"
3. XXXXXX	4. XXXXXX
5. XXXXXX	6. XXXXXX

This certificate is valid/renewed up to: **10 Feb 2027**


Brig
For Engineer-in-Chief
(Abul Kalam Khan)
Date **12-Feb-2025**

(NON TRANSFERABLE)

R.T.O.

ENLISTMENT LETTER

FAUJI FOUNDATION

Tel: 5951821 - 40
Extn - 1363
Fax: 5951718

FAUJI FOUNDATION

TRUST CREATED UNDER THE CHARITABLE ENDOWMENTS ACT 1890
FOR THE BENEFIT OF EX SERVICEMEN AND THEIR FAMILIES

68 Tipu Road, Chaklala
Rawalpindi Cantt
Dec 2022

Ref No. FF/3678/134/P/A/CPO

M/s Plasco PVC Pipe Industries (Pvt) Ltd
G T Road Bypass, Gujrat
Tel : 0533589620-21
Fax : 0533589585
Email: PascoPvc@yahoo.com

Subj: **Provisional Registration of Firm – Cat "A"**

Reference: Your application dated 22 Nov 2022.

1. It is to inform you that your firm has been provisionally registered with Fauji Foundation for **Gen Store (Pipes UPVC, PPRC, HDPE, MDPE, Electrical Conduit and fittings) as Manufacture**. However, visit of your firm is pending due to COVID-19, which will be carried out in due course of time.

2. You are allowed to participate in our tenders for **FY 2022/2025**.

Dr Khurram Waheed
Dy Manager (Procurement)

C.C
Fin Div
Desk Clk **Gen Store**

PREQUALIFICATION LETTER

SNGPL



SUI NORTHERN GAS PIPELINES LIMITED

GAS HOUSE, 21 KASHMIR ROAD, P.O. BOX 56, LAHORE (PAKISTAN)

Ref: PUR-73

09.10.2018

M/s Plasco PVC Pipe Industries (Pvt) Ltd,
G.T. Road, Bypass,
Gujrat.

Fax: 053-3589585

PREQUALIFICATION AS LOCAL MANUFACTURER
POLYETHYLENE LINE PIPE MDPE ½" to 4" Dia SDR-11.
TRIAL PURCHASE ORDER NO. HO/MGA/003/18 (Trial)

Dear Sirs,

Please refer to your letter no. Nil dated 24.04.2017 and subsequent correspondence therein.

We wish to inform you that after successful fulfillment of all SNGPL requirements for pre-qualification including satisfactory supply against trial purchase order No. HO/MGA/003/18 as manufacturer of MDPE Pipe, we consider your manufacturing unit situated at M/s Plasco PVC Pipe Industries (Pvt) Ltd, G.T. Road, Bypass, Gujrat, pre-qualified for **Polyethylene Line Pipe MDPE ½" to 4" Dia SDR-11.**

Thanking you,

Yours faithfully,
SUI NORTHERN GAS PIPE LINES LIMITED—

(MANSOOR SADIQ)
Deputy Chief OFFICER (PROCUREMENT)
for MANAGING DIRECTOR

D:\Home\PreQualification\PreQualification & Factory Visit Letter to Suppliers - Page 723

Telephones Exch: { +92-42/99082000
+92-42/99082006

Telephones: { 82-42-99085060
82-42-99085072
82-42-99085023

Fax 82-42-99201275

www.sngpl.com.pk




OHSA 18001 ISO 14001



ENLISTMENT OF PIPE SIZES

PSQCA



Pakistan Standards

**Pakistan Standards & Quality Control
Authority**
Ministry of Science & Technology
Government of Pakistan

Directorate of CA-Lahore Zone

Tel: 0092 – 42 – 99332242
E-mail: directorcanorth@gmail.com
Website: www.psqca.com.pk


SDC-CA(L-1819/

ANNEXURE-A


Dated: 26-05-2023

**LIST OF NINE (09) SIZES OF PVC-U PRESSURE PIPES FOR COLD POTABLE WATER
“LASANI” BRAND FOR THE CONFORMANCE MARK LICNECE # CM/L-1899/2008 OF
M/S PLASCO PVC PIPE INDUSTRIES (PVT.) LTD, GUJRAT, VALIDITY 01-JAN-23 TO 31-
DEC-24 AGAINST THE REQUIREMENT PSS: 3051/2017(R)**


Sr. No.	Product	Nominal Size DN/OD	Classification of Pipe	Brand
1	PVC-U Pressure Pipes for Cold Potable Water	2"	D-Class	Lasani
2	PVC-U Pressure Pipes for Cold Potable Water	3"	B-Class	Lasani
3	PVC-U Pressure Pipes for Cold Potable Water	4"	B-Class	Lasani
4	PVC-U Pressure Pipes for Cold Potable Water	6"	B-Class	Lasani
5	PVC-U Pressure Pipes for Cold Potable Water	8"	B-Class	Lasani
6	PVC-U Pressure Pipes for Cold Potable Water	10"	B-Class	Lasani
7	PVC-U Pressure Pipes for Cold Potable Water	12"	B-Class	Lasani
8	PVC-U Pressure Pipes for Cold Potable Water	14"	B-Class	Lasani
9	PVC-U Pressure Pipes for Cold Potable Water	18"	B-Class	Lasani




(Engr. M. AWAIS ARSHAD)
Incharge (Quality Assurance Cell)
(CA-Lahore Zone)




(ASGHAR ALI)
Deputy Director
(CA-Lahore Zone)



(Engr. MUHAMMAD RIZWAN)
Director (CA-Lahore Zone)



Standards Development Centre, 125 – A, Quaid – E – Azam Industrial Estate, Kot Lakhpat, Lahore.



LICENSE


PAKISTAN STANDARD MARK

<p>Number. 023401</p>	<p>Pakistan Standards</p> <p>Pakistan Standards and Quality Control Authority</p> <p>Licence for the use of the Pakistan Standard Mark</p>	<p>Government of Pakistan</p> <p>Agreement No. 517/SLO-030</p>	<p>Licence No. CM/L-517/2014</p> <p>M/s. Plasco PVC Pipe Industries (Pvt.) Ltd.</p> <p>Address: G.T Road, Bypass, Gajra.</p> <p>Licence shall be valid from 1-Jan-23 to 31-Dec-24 and renewable as prescribed under the Rules.</p>
-----------------------	--	--	--

<p>Signature <u>24</u></p> <p>Engr. Muhammad Rizwan</p> <p>DIRECTOR</p> <p>Place Lahore</p> <p>Date: 26-May-23</p>	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">THE FIRST SCHEDULE</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">PS Mark</th> <th style="width: 45%;">Article / Process</th> <th style="width: 40%;">Pakistan Standard(s)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="text-align: center;"></td> <td>Polypropylene (PP-R) Pipes "Plasco" Brand Sizes as per Annexure-A</td> <td>QSS: 4533-34/1999(Q)</td> </tr> </tbody> </table> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p style="text-align: center;">THE SECOND SCHEDULE</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;">Article / Process</th> <th style="width: 15%;">Unit</th> <th style="width: 20%;">Marking Fee Per Unit</th> <th style="width: 25%;">Mode of Payment</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Polypropylene (PP-R) Pipes "Plasco" Brand Sizes as per Annexure-A</td> <td>Ex-Factory Price</td> <td>0.1%</td> <td>Through Bank Draft Quarterly</td> </tr> </tbody> </table> </div>	PS Mark	Article / Process	Pakistan Standard(s)	1	2	3		Polypropylene (PP-R) Pipes "Plasco" Brand Sizes as per Annexure-A	QSS: 4533-34/1999(Q)	Article / Process	Unit	Marking Fee Per Unit	Mode of Payment	1	2	3	4	Polypropylene (PP-R) Pipes "Plasco" Brand Sizes as per Annexure-A	Ex-Factory Price	0.1%	Through Bank Draft Quarterly
PS Mark	Article / Process	Pakistan Standard(s)																				
1	2	3																				
	Polypropylene (PP-R) Pipes "Plasco" Brand Sizes as per Annexure-A	QSS: 4533-34/1999(Q)																				
Article / Process	Unit	Marking Fee Per Unit	Mode of Payment																			
1	2	3	4																			
Polypropylene (PP-R) Pipes "Plasco" Brand Sizes as per Annexure-A	Ex-Factory Price	0.1%	Through Bank Draft Quarterly																			

ENLISTMENT OF PIPE SIZES

PSQCA



Pakistan Standards

Pakistan Standards & Quality Control Authority
Ministry of Science & Technology
Government of Pakistan

Directorate of CA-Lahore Zone

Tel: 0092 – 42 – 99332242
E-mail: directorcanorth@gmail.com
Website: www.psqca.com.pk


SDC-CA(SLO-030)/

ANNEXURE-A


Dated: 26-05-2023

LIST OF EIGHT (08) SIZES OF POLYPROPYLENE (PP) PIPES “PLASCO” BRAND FOR THE CONFORMANCE MARK LICENCE # CM/L-517/2014 OF M/S. PLASCO PVC PIPE INDUSTRIES (PVT.) LTD. GUJRAT VALIDITY 01-JAN-23 TO 31-DEC-24 AGAINST THE REQUIREMENT OF PSS: 4533-34/1999(R).


Sr. No.	Product	Nominal Pipe Sizes (mm)	Classification of Pipes	Brand Name
01	Polypropylene (PP-R) Pipes	25mm	PN-20	Plasco
02	Polypropylene (PP-R) Pipes	32mm	PN-20	Plasco
03	Polypropylene (PP-R) Pipes	40mm	PN-20	Plasco
04	Polypropylene (PP-R) Pipes	50mm	PN-20	Plasco
05	Polypropylene (PP-R) Pipes	63mm	PN-20	Plasco
06	Polypropylene (PP-R) Pipes	75mm	PN-20	Plasco
07	Polypropylene (PP-R) Pipes	90mm	PN-20	Plasco
08	Polypropylene (PP-R) Pipes	110mm	PN-20	Plasco




(Engr. M. AWAIS ARSHAD)
Incharge (Quality Assurance Cell)
(CA-Lahore Zone)




(ASGHAR ALI)
Deputy Director
(CA-Lahore Zone)



(Engr. MUHAMMAD RIZWAN)
Director (CA-Lahore Zone)



Standards Development Centre, 125 – A, Quaid – E – Azam Industrial Estate, Kot Lakhpat, Lahore.



LICENSE

PAKISTAN STANDARD MARK

 Pakistan Standards	 Government of Pakistan													
Number. 023400	<h2 style="margin: 0;">Pakistan Standards and Quality Control Authority</h2>													
<h3 style="margin: 0;">Licence for the use of the Pakistan Standard Mark</h3>														
Licence No. <u>CM/L-363/2013</u> M/s. <u>Plasco PVC Pipe Industries (Pvt.) Ltd.</u> Address: <u>G-T Road, Bypass Model Gynat.</u>	Agreement No. <u>363/SLO-001</u>													
Licence shall be valid from <u>1-Jan-23</u> to <u>31-Dec-24</u> and renewable as prescribed under the Rules.														
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  Signature _____ </div> <div style="text-align: center;"> THE FIRST SCHEDULE <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">PS Mark</th> <th style="width: 65%;">Article / Process</th> <th style="width: 20%;">Pakistan Standard(s)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>  Plastic Piping Systems - Polyethylene (PE) Pipes for Water Supply (PE Pipes) "Waterline" Brand Sizes as per Annex-A </td> <td style="text-align: center;">3</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">QSS: 3580/2014(Q)</td> </tr> </tbody> </table> </div> </div>			PS Mark	Article / Process	Pakistan Standard(s)	1	 Plastic Piping Systems - Polyethylene (PE) Pipes for Water Supply (PE Pipes) "Waterline" Brand Sizes as per Annex-A	3			QSS: 3580/2014(Q)			
PS Mark	Article / Process	Pakistan Standard(s)												
1	 Plastic Piping Systems - Polyethylene (PE) Pipes for Water Supply (PE Pipes) "Waterline" Brand Sizes as per Annex-A	3												
		QSS: 3580/2014(Q)												
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> Eng. Muhammad Rizwan _____ DIRECTOR </div> <div style="text-align: center;"> THE SECOND SCHEDULE <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Article / Process</th> <th style="width: 20%;">Unit</th> <th style="width: 20%;">Marking Fee Per Unit</th> <th style="width: 25%;">Mode of Payment</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> <tr> <td> Plastic Piping Systems - Polyethylene (PE) Pipes for Water Supply (PE Pipes) "Waterline" Brand Sizes as per Annex-A </td> <td style="text-align: center;">Ex-Factory Price</td> <td style="text-align: center;">0.1%</td> <td style="text-align: center;">Through Bank Draft Quarterly</td> </tr> </tbody> </table> </div> </div>			Article / Process	Unit	Marking Fee Per Unit	Mode of Payment	1	2	3	4	Plastic Piping Systems - Polyethylene (PE) Pipes for Water Supply (PE Pipes) "Waterline" Brand Sizes as per Annex-A	Ex-Factory Price	0.1%	Through Bank Draft Quarterly
Article / Process	Unit	Marking Fee Per Unit	Mode of Payment											
1	2	3	4											
Plastic Piping Systems - Polyethylene (PE) Pipes for Water Supply (PE Pipes) "Waterline" Brand Sizes as per Annex-A	Ex-Factory Price	0.1%	Through Bank Draft Quarterly											
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> Place <u>Lahore</u> Date: <u>26-May-23</u> </div> </div>														

ENLISTMENT OF PIPE SIZES

PSQCA



**Pakistan Standards & Quality Control
Authority**
Ministry of Science & Technology
Government of Pakistan

Directorate of CA-Lahore Zone

Tel: 0092 – 42 – 99332242
E-mail: directorcanorth@gmail.com
Website: www.psqca.com.pk

SDC-CM(SLO-001)/

Annexure-A

Dated: 26-05-2023

LIST OF THIRTY NINE (39) SIZES OF PLASTIC PIPING SYSTEMS - POLYETHYLENE (PE) PIPES AND FITTING FOR WATER SUPPLY (PE PIPES) "WATERLINE" BRAND FOR C.M LICENCE # CM/L-363/2013 OF M/S: PLASCO PVC PIPE INDUSTRIES (PVT.) LTD, GUJRAT VALIDITY 01-JAN-23 TO 31-DEC-24 AGAINST THE REQUIRMENTS OF PSS: 3580/2014(R)

Sr. No.	Pipe Outer Dia Sizes (mm)	Nominal Pressure	Material Designation	Brand
1	50mm	PN-10 & SDR-17	PE-100	Waterline
2	63mm	PN-10 & SDR-17	PE-100	Waterline
3	75mm	PN-10 & SDR-17	PE-100	Waterline
4	110mm	PN-10 & SDR-17	PE-100	Waterline
5	160mm	PN-10 & SDR-17	PE-100	Waterline
6	250mm	PN-10 & SDR-17	PE-100	Waterline
7	315mm	PN-10 & SDR-17	PE-100	Waterline
8	355mm	PN-10 & SDR-17	PE-100	Waterline
9	400mm	PN-10 & SDR-17	PE-100	Waterline
10	450mm	PN-10 & SDR-17	PE-100	Waterline
11	500mm	PN-10 & SDR-17	PE-100	Waterline
12	560mm	PN-10 & SDR-17	PE-100	Waterline
13	630mm	PN-10 & SDR-17	PE-100	Waterline
14	710mm	PN-10 & SDR-17	PE-100	Waterline
15	800mm	PN-10 & SDR-17	PE-100	Waterline
16	1200mm	PN-10 & SDR-17	PE-100	Waterline
17	90mm	PN-08 & SDR-21	PE-100	Waterline
18	110mm	PN-08 & SDR-21	PE-100	Waterline
19	160mm	PN-08 & SDR-21	PE-100	Waterline
20	200mm	PN-08 & SDR-21	PE-100	Waterline
21	250mm	PN-08 & SDR-21	PE-100	Waterline
22	315mm	PN-08 & SDR-21	PE-100	Waterline
23	355mm	PN-08 & SDR-21	PE-100	Waterline
24	400mm	PN-08 & SDR-21	PE-100	Waterline
25	450mm	PN-08 & SDR-21	PE-100	Waterline
26	500mm	PN-08 & SDR-21	PE-100	Waterline
27	560mm	PN-08 & SDR-21	PE-100	Waterline




Standards Development Centre, 125 – A, Quaid – E – Azam Industrial Estate, Kot Lakhpat, Lahore.



ENLISTMENT OF PIPE SIZES

PSQCA




Pakistan Standards

Pakistan Standards & Quality Control Authority
Ministry of Science & Technology
Government of Pakistan


Directorate of CA-Lahore Zone

Tel: 0092 – 42 – 99332242
E-mail: directorcanorth@gmail.com
Website: www.psqca.com.pk


28	630mm	PN-08 & SDR-21	PE-100	Waterline
29	710mm	PN-08 & SDR-21	PE-100	Waterline
30	800mm	PN-08 & SDR-21	PE-100	Waterline
31	900mm	PN-08 & SDR-21	PE-100	Waterline
32	1000mm	PN-08 & SDR-21	PE-100	Waterline
33	1200mm	PN-08 & SDR-21	PE-100	Waterline
34	1600mm	PN-08 & SDR-21	PE-100	Waterline
35	800mm	PN-06 & SDR-26	PE-100	Waterline
36	1200mm	PN-06 & SDR-26	PE-100	Waterline
37	1600mm	PN-06 & SDR-26	PE-100	Waterline
38	315mm	PN-12.5 & SDR-13.6	PE-100	Waterline
39	1200mm	PN-12.5 & SDR-13.6	PE-100	Waterline




(Engr. M. AWAIS ARSHAD)
Incharge (Quality Assurance Cell)
(CA-Lahore Zone)




(ASGHAR ALI)
Deputy Director
(CA-Lahore Zone)



(Engr. MUHAMMAD RIZWAN)
Director (CA-Lahore Zone)



Standards Development Centre, 125 – A, Quaid – E – Azam Industrial Estate, Kot Lakhpat, Lahore.



ENLISTMENT LETTER

FWO

REGISTERED


HQ Frontier Works Org
Central Registration Sec. (CRS)
509, Kashmir Road
R.A Bazar Rawalpindi
Tel : 051-9271301 (Ext-1506)
802/ 2/ T-3017/ Ord/ Regn
28 Dec 2023

To: **M/S Plasco PVC Pipe Industries (Pvt) Ltd**
G.T Road, Bypass
Gujrat
Contact # 053-3589620

Info: All Concerned


Subject: **Biennial Renewal of Firm**

1. Your firm is registered with Headquarters Frontier Works Organization for "Material Supplier" in category **C-6** with FWO registration number **T-3017**. Consequent to receipt of biennial renewal fee / documents, name of your firm has been included in the active list of firms / contractors. **(THIS LETTER/ REGISTRATION IS NOT APPLICABLE OUTSIDE FWO).**
2. Registration of your firm with this organization is valid upto **31 Dec 2025**. Thereafter, your firm will have to renew the registration as per policy in vogue.
3. Forwarded for your information, please.


Snr Coordinator
for Director General
(Nazam Riaz)

ENLISTMENT LETTER

WASO



ENLISTMENT LETTER

DHA LAHORE



Defence Housing Authority
Main Office Complex, A Block
Commercial Area, Phase-VI
DHA, Lahore Cantt
Telephone No. 042-111 342 547
Fax No. 042-37180295
No 408 / 348/ Renewal of Firm /CE
12 June 2024

To, **Plasco PVC Pipe Industries (Pvt) Ltd**
G.T Road By pass, Gujrat, Pakistan
Tel: 053-3589620 / 3589621
Mob # 0309-4361041 (Naveed)

Subject: **Enlistment of Firm as Manufacturer with DHA Lahore - 2024/25**

This office ltr No. 408/348/Revised Fee Charges/CE dated 05 Jun 2024 refer.

1. It is intimated that DHA management has very kindly considered the renewal of your firm as approved manufacturer and placed "Preferred List" from to date to **30 June 2025** for following items:-

- a. HDPE Pipe only
- b. UPVC, PPRC, MDPE & HDPE (Pipes of 20mm to 560mm dia)


2. Please provide rate list of your approved products with effect from 1st Jun 2024 and inform web site link to this office and ensure following:-

- a. Keep DHA Lahore informed about change in rates (if any) due to unavoidable circumstances
- b. Avoid submittal of fake quotation or invoice to contractors, violation may lead to delisting of your firm

3. Renewal fee for the year 2024-25, amounting to Rs **11,250/-** has been deposited by your firm.


4. Forwarded for your information and necessary action, please.




Lieutenant Colonel
President of the Board
(Babar Yasin TI (M), Retired)

ENLISTMENT LETTER

DHA MULTAN



RESTRICTED

Defence Housing Authority Multan
 1 Multan Public School Road Multan
 Telephone: 061-6306365 & 6516036
 E Mail: planning.development@dhamultan.org
 File No. 701/4/P&D/DHA

19 May 2023

To: M/s Plasco (PVC) Pipe Industries (Pvt) Ltd
 GT Road By Pass Gujrat
 Cell 0321-6201888, 0320-6201888 ✓

Information: Project Secretary
 Chief Engineer Directorate
 Audit Section
 M/s ACES Site Office DHA Multan
 M/s ESAC Site Office DHA Multan
 M/s Pillar & Sons

Subject: **Enlistment of Manufacturer / Suppliers with DHA Multan**


Your letter of content dated 13 April 2023 refers.

1. Your application for renewal of enlistment with DHA Multan has been approved as manufacturer / supplier with following products **upto 17 May 2025** for 2 x years and is extendable on submission of renewal fee. By virtue of this, your firm / company is eligible to participate in tendering at DHA Multan projects with enlistment No **DHA/MTN/SUP/ENL-39/2023:-**

- UPVC Pressure Pipe 1" to 18" sizes.
- SWV Pipe 32mm to 160mm.
- Conduit Pipe 1" to 4"
- PPRC Pipe 20mm to 110mm
- HDPE Pipe 20mm to 1600mm
- MDPE Pipe 0.5" to 6"
- Supplies & Fittings.

2. It is also added that in case at any stage, it is found that information / data provided by your firm for enlistment is incorrect or suppressed, enlistment will be liable to withdrawn and shall also tested periodically to ensure the quality of product.

3. Forwarded for information / necessary action, please.


 Lieutenant Colonel
Director (Planning)
 (Hamble Taimoor Ahmad Hashmi, Retired)

RESTRICTED

ENLISTMENT LETTER

DHA GUJRANWALA



Defence Housing Authority
Gujranwala
Near Chenab Gate
GT Road Gujranwala
Telephone No: 055 - 3880024
E-Mail: cebr@dhagwa.com
No. 111 / 21 - A / CE / M - 1 / 002
November 2024


To: PLASCO PVC Pipe Industries (Pvt) Limited
GT Road Bypass, Gujrat

Subject: Renewal of Enlistment with DHA Gujranwala for Year 2024-25

Your letter no Plasco/24/185 dated 21 October 2024 refers.


1. Management of Defence Housing Authority (DHA) Gujranwala is pleased to renew your firm as manufacturer / vendor for FY 2024-2025.
2. Please provide rate list of your approved product with effect from 1st January 24 and intimate your official website link to this office and ensure following:-
 - a. Keep DHA Gujranwala informed about change in rates (if any).
 - b. Avoid submission of fake quotation or invoice to contractors, violation may lead to delisting of you firm.
3. Forwarded for necessary action, please.




Brigadier
Chief Engr
(Muhammad Irfan Khan Lodhi, SI (M), Retd)

ENLISTMENT LETTER

DHA KARACHI


Pakistan Defence Officers Housing Authority
 2/B East Street, Phase-I, DHA, Karachi-75500 (Pakistan)
 Phones: 021-35886401-5 - Fax: 021-35886406

In reply, please quote:
DHA/D&C/6-SUP/40

Date: 21 Jul 2022

M/s Plasco PVC Pipe Industries (Pvt) Ltd
 G.T, Road Bypass
 Gujrat
 Phone: 053-3589620-3589621


Subject: **Renewal of Constructor - Plasco PVC Pipe Industries (Pvt) Ltd**

1. Your Firm's enlistment as Constructor has been renewed in this Authority for the period from **01 July 2022 to 30 Jun 2025**. Account branch receipt is enclosed as under: -

Receipts No. **1269376** dated **20 Jul 2022** for **Rs. 15,000/-** (Rupees Fifteen Thousand only) on account of renewal fee.

2. Enlistment in DHA Karachi is subject to following terms and conditions: -


a. In case at any stage found that information / data provided vide your enlistment documents is incorrect or suppressed, enlistment is liable to be withdrawn at the sole discretion of Pakistan Defence Officers Housing Authority Karachi.


 Major
Ch. Amir Afzal (Retd)
 DD (Tech) D&C Dte

Copy: CE (EDB)
 Dev Dte (Main DHA)
 DCK Dte
 E&M Dte
 Maintenance Branch
 Finance Dte
 QA Section

ENLISTMENT LETTER

DHA QUETTA




Defence Housing Authority Quetta
Airport Road Quetta Cantonment
Telephone: 081-2864446-7
1404 /1/ DHAQ/ Enlistment - C/6
16 April 2022

To: M/s Plasco Pipes Industries Pvt Ltd

Subject: Registration of Constructing Firm with DHA Quetta


This is to certify that your application for registration / enlistment with DHA Quetta has been approved in Cat C-6. Your company is eligible to participate in tendering for construction works/project at DHA Quetta, with enlistment No. **DHAQ/Enlistment/TP&BC/19/06**

RECOMMENDED BY


A/Dir TP&BC
(Atal Khan)

APPROVED BY


Secretary – DHA Quetta
Col Waqar Ahmed




Date of Issue: 08 April 2022

Valid Until: 07 April 2023

Note: Change in particulars may please be intimated to the office of DHAQ on occurrence.

STANDARDIZATION LETTER

DHA BAHAWALPUR



ENLISTMENT LETTER

DHA PESHAWAR

Serial No: 1906	Registration No: Plasco/Ven/DHAP/19/06
-----------------	--



CERTIFICATE OF ENLISTMENT / REGISTRATION
(TECHNICAL BRANCH)

THIS IS TO CERTIFY THAT M/S **PLASCO PVC PIPES INDUSTRIES PVT LTD** HAS BEEN ENLISTED / REGISTERED AS VENDOR FOR PROVIDING FOLLOWING PRODUCTS TO DHA PESHAWAR.

1. HDPE Pipe	2. UPVC Pipe
3. PPRC Pipe	4. MDPE Pipe
5. Elec Conduit Pipe	6.

This certificate is valid up to **31 Dec 2025**




(NON TRANSFERABLE)


Chief Engr
DHA Peshawar
Usman Shafiq

ENLISTMENT LETTER

DHA ISLAMABAD-RAWALPINDI



APPROVAL LETTER

ACE (PVT.) LTD.

ASSOCIATED CONSULTING ENGINEERS - ACE (PVT) LTD

Regional Office (North)
Architectural & Town Planning Section

Ground Floor, 36 Civic Center, M-Block, Model Town Extension, Lahore
Phones: (+9242) 35170871-74 Fax: (+9242) 35170875

E-mail: acearts@acepakistan.com, acearts@acepakistan.com, Web Site: www.acepakistan.com



Ref No: Ant/G/5375

Date: 15-01-2018


TO WHOM IT MAY CONCERN

Letter of Approval of M/s. Plasco Pipes Industries (Pvt.) Ltd.

M/s. Plasco Pipes Industries (Pvt.) Ltd., G.T Road Bypass, Gujrat, have been listed as approved manufacturer of UPVC, PPRC, HDPE, MDPE & Fittings, on the basis of submitted company profile, product technical specifications, relevant documents, certificates and test reports to ensure compliance with required industry and international construction standards i.e. PS, BSS, DIN & ASTM etc.

The above documents were examined/ reviewed by our office. In our view, M/s. Plasco Pipes Industries (Pvt.) Ltd. possess adequate experience resources and capacity to meet requirement of desired quality level & performance for any national level project. This letter provides an assessment of quality and performance of their products.

We, therefore, recommend M/s. Plasco Pipes Industries (Pvt.) Ltd., to be a qualified manufacturer/ supplier on projects undertaken by M/s. ACE (Pvt.) Ltd. The validity of this certificate is one year from the date of issuance of this letter.


Engr. Iftikhar A. Mian
Chief Engineer (Contracts & Coordination)



ISO 9001 Certified

Registered Office: 5/A, Muhammad Ali Cooperative Housing Society Karachi-75350

Offices: KARACHI-LAHORE-ISLAMABAD-PESHAWAR
IRAN-MALAYSIA-INDONESIA-OMAN-SAUDI ARABIA

REGISTRATION LETTER

MEINHARDT



Meinhardt (Pakistan) Pvt. Ltd.
Project Manager, Consultants, Engineers

Head Office:
2nd Floor, Plot # 14-D West,
Feroz Centre, Faza-1-Haq Road,
Blue Area, Islamabad
Tel: +92 51 2273385-7
www.meinhardt.com.pk
www.meinhardtgroup.com

Ref No: MPPL/PHA/I-12/0719/575
Dated: 16th July, 2019

CH. PERVAIZ IQBAL,
CHIEF EXECUTIVE, PLASCO PIPES INDUSTRIES (PVT) LTD,
GT ROAD BYPASS, GUJRAT

SUB: Registration/Enlistment of Plasco Pipes Industries (Pvt) Ltd For I-12 Project Islamabad.


M/s Plasco pipes industries (Pvt) Ltd are hereby approved in anticipation of processing of their registration as distributors of their products for supply of PVC pipes of different grades and specifications for water supply, sewerage gas pipelines and conduits for electric cables for use in the Project titled "Construction of MultiStorey Apartments at Sector I-12 Islamabad" subject to following conditions:

- i) That you will furnish your revised registration after including the assignment as distributor of your products by the competent forum for the record of this office.
- ii) The materials supplied should conform strictly to the design and the specifications as mentioned in the Contract.
- iii) Samples at random from the supplied materials will be collected and subject to necessary tests from the approved independent sources at the cost of M/s Plasco pipes.
- iv) The Employer and the Consultants would not be under any obligations for any arrangement or the arrangements in between M/s Plasco pipes and the Contractors of the Project.
- v) This approval is not binding on the Contractors of I-12 Project and they are free to buy the materials from any other manufacturers/suppliers, subject to satisfactory compliance to the technical specifications including the approval of the competent authority.
- vi) In case of failure of the materials supplied at site whether paid by the Contractor or otherwise would be got removed immediately. Hence the Contractors are under obligations to make necessary provision in their purchase orders/arrangements.

It is pertinent to mention here, that this approval does not absolve the Contractors of their Contractual obligations towards satisfactory execution and completion of their respective projects.

The Engineer and his delegates have the authority to withdraw/suspend or amend the approval without assigning any reasons. This is a provisional approval for a period of one year and extendable as per project requirements on performance basis.

Regards,



Engr. Zafar Ali Khan
C.R.E, I-12 Project

C.C:


- | | | |
|------------------------------------|-----------------------------------|----------------------|
| 1) Chief Engineer PHA-F | 2) Director (Engg-II) PHA-F | 3) DD (Engg-V) PHA-F |
| 4) The Engineer, Meinhardt | 5) Director Operations, Meinhardt | 6) R.E, I-12 Project |
| 7) All Contractors of I-12 Project | | |

Abu Dhabi • Adelaide • Bahrain • Bangkok • Beijing • Brisbane • Chennai • Dhang • Doha • Dubai • Hanoi • Ho Chi Minh City • Hong Kong
Islamabad • Jakarta • Jeddah • Karachi • Kuala Lumpur • Kuwait • Lahore • London • Macau • Manila • Melbourne • Muscat • Muzaffarabad
New Delhi • Peshawar • Riyadh • Shanghai • Shenzhen • Singapore • Sydney • Tripoli

QUALITY CONTROL TEST REPORT



QUALITY CONTROL CENTRE
PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY
MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN



PSQCA

Sr. A 0571

Your Ref. No: SDC-CM (SLO-001)/13
Dated: - 18-12-2024
Samples Receiving Date: - 01-01-2025

TEST REPORT

Our Ref. No: QCC/4(378)/24-25 (212)
Dated:- 11-02-2025

Samples Received From: The Inspecting Officer,
Report Issue To: SDC-CA Liaison Office,
GUJRANWALA.

No. of Samples: Thirteen (13)
Specification against which Tested:
PSS: 3580-2014 (R)

Subject: TESTING OF SAMPLES STATED TO BE "PE PIPES FOR WATER SUPPLY SYSTEM" WATERLINE BRAND (COLLECTED FROM M/S: PLASCO PVC PIPE INDUSTRIES, (PVT.) LTD, G.T. ROAD, BYPASS GUJRAT.

The above samples as received have been tested with the following results;



Sr. No.	Results Corresponding to Labs. Reg. Nos. & Sample Identification	Classification of Pipe	Colour of Pipe	Description of Tests					Hydrostatic Strength at 20°C	Longitudinal Reversion Test at 110°C (%)	Elongation at Break (%)	Marking
				Mean Outside Diameter (mm)	Wall Thickness (mm)	Min.	Max.	Melt Flow Rate at 190°C/5 Kg (MRF-g/10 Minutes)				
1.	PE/788 (50mm)	PN - 10	Black	50.2	3.0	3.2	0.30	No Failure	-2.4	729	Present	
2.	PE/789 (63mm)			63.1	3.8	4.1	0.30		-2.0	650		
3.	PE/790 (75mm)			75.3	4.5	4.9	0.26		-2.0	716		
4.	PE/791 (110mm)			110.5	6.8	7.2	0.27		-2.3	663		
5.	PE/792 (160mm)			160.6	9.7	10.2	0.25		-1.7	558		
6.	PE/793 (250mm)			250.5	15.1	15.9	0.28		-1.2	440		
7.	PE/794 (315mm)			316.2	18.7	19.8	0.31		-1.0	520		
8.	PE/795 (355mm)			356.0	21.5	22.6	0.27		-0.8	660		
9.	PE/796 (400mm)			401.4	24.5	25.7	0.24		-0.5	620		
10.	PE/797 (450mm)			451.7	27.0	28.7	0.24		-0.4	500		
11.	PE/798 (500mm)			501.5	30.8	31.9	0.26		-0.3	475		
12.	PE/799 (560mm)			562.3	33.7	35.3	0.27		-0.2	698		
13.	PE/800 (630mm)			631.4	37.9	39.4	0.29		-0.2	760		

End of Test Report

[Signature]
Prepared By
Assistant Director

[Signature]
Reviewed By
Deputy Director

[Signature]
Director, QCC (North)
Lahore (0571)

For terms and conditions, turn over leaf.

234-A, PITAC Compound, Ferozepur Road, Lahore. 042-99230617-18 | Website: www.psqca.com.pk | Email: qcc-quality@hotmail.com

QUALITY CONTROL TEST REPORT

QUALITY CONTROL CENTRE
PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY
MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN

TEST REPORT

Your Ref. No: SDC-CM (SLO-001)13
Date: 19-12-2024
Samples Received Date: 01-01-2025

Our Ref. No: QCC/4378/24-25 (2-1)
Date: 11-02-2025

Samples Received From: The Inspecting Officer,
SDC-CA Liaison Office,
GUJRANWALA.

No. of Samples: Thirteen (13)
Specification against which Tested:
PSS: 3580-2014 (R)

Subject: TESTING OF SAMPLES STATED TO BE "PE PIPES FOR WATER SUPPLY SYSTEM"
WATERLINE BRAND COLLECTED FROM M/S. PLASCO PVC PIPE INDUSTRIES (PVT.)
LTD. G.T. ROAD, BYPASS GUJRANWALA.

The above samples as received have been tested with the following results:

Sr. No.	Results Corresponding to Lab. Reg. No. & Sample Identification	Classification of Pipe	Color of Pipe	Description of Tests						Marking
				Mean Outside Diameter (mm)	Wall Thickness (mm)	Stiffness Modulus (N/mm ²)	Hydrostatic Strength at 20°C (MPa)	Longitudinal Reversion Test at 110°C (%)	Elongation at Break (%)	
1.	PE/775 (710mm)	PN - 10	Black	712.6	43.2	44.8	0.30	-0.3	625	Present
2.	PE/776 (800mm)			804.5	47.8	50.5	0.29	-0.5	628	
3.	PE/777 (1200mm)			1202.8	68.5	72.5	0.26	-0.1	631	
4.	PE/778 (900mm)			90.4	4.5	4.9	0.29	-2.7	647	
5.	PE/779 (110mm)			110.5	5.1	5.8	0.30	-2.5	652	
6.	PE/780 (160mm)	PN - 8	Black	160.4	7.8	8.3	0.30	-1.8	626	Present
7.	PE/781 (200mm)			200.7	9.6	10.3	0.28	-1.5	656	
8.	PE/782 (250mm)			251.0	12.2	13.0	0.26	-1.1	702	
9.	PE/783 (315mm)			315.5	15.5	16.3	0.20	-1.4	653	
10.	PE/784 (355mm)			355.8	17.3	18.1	0.26	-1.0	750	
11.	PE/785 (400mm)			400.4	19.5	20.7	0.25	-1.0	690	
12.	PE/786 (450mm)			451.1	22.2	23.4	0.27	-0.6	658	
13.	PE/787 (500mm)			502.0	24.3	25.8	0.28	-0.6	570	

End of Test Report

Prepared By: Assistant Director
Reviewed By: Deputy Director
Director: QCC (North) Lahore (8370)

For terms and conditions, turn over leaf.

234-A, PITAC Compound, Ferozpur Road, Lahore. 042-99230617-18 | Website: www.psqca.gov.pk | Email: info-psqca@pvtmail.com

QUALITY CONTROL CENTRE
PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY
MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN

TEST REPORT

Your Ref. No: SDC-CM (SLO-001)13
Date: 14-12-2024
Samples Received Date: 01-01-2025

Our Ref. No: QCC/4378/24-25 (2-10)
Date: 11-02-2025

Samples Received From: The Inspecting Officer,
SDC-CA Liaison Office,
GUJRANWALA.

No. of Samples: Thirteen (13)
Specification against which Tested:
PSS: 3580-2014 (R)

Subject: TESTING OF SAMPLES STATED TO BE "PE PIPES" WATER LINE BRAND
COLLECTED FROM M/S. PLASCO PVC PIPE INDUSTRIES (PVT.) LTD. G.T.
ROAD, BYPASS GUJRANWALA.

The above samples as received have been tested with the following results:

Sr. No.	Results Corresponding to Lab. Reg. No. & Sample Identification	Classification of Pipe	Color of Pipe	Description of Tests						Marking
				Mean Outside Diameter (mm)	Wall Thickness (mm)	Stiffness Modulus (N/mm ²)	Hydrostatic Strength at 20°C (MPa)	Longitudinal Reversion Test at 110°C (%)	Elongation at Break (%)	
1.	PE/762 (560mm)	PN - 8	Black	560.8	27.2	28.5	0.28	-0.5	612	Present
2.	PE/763 (630mm)			631.3	30.5	31.7	0.28	-0.5	637	
3.	PE/764 (710mm)			711.6	34.3	35.8	0.30	-0.2	690	
4.	PE/765 (800mm)			804.6	38.7	40.2	0.26	-0.4	594	
5.	PE/766 (900mm)			902.5	43.8	45.0	0.27	-0.2	656	
6.	PE/767 (1000mm)	PN - 6	Black	1005.2	48.6	50.2	0.29	-0.5	621	Present
7.	PE/768 (1200mm)			1204.2	57.5	59.4	0.24	-0.1	599	
8.	PE/769 (1600mm)			1607.5	77.3	80.0	0.28	-0.3	598	
9.	PE/770 (800mm)			803.5	31.8	32.8	0.30	-0.04	653	
10.	PE/771 (1200mm)			1207.2	46.0	48.5	0.31	-0.4	823	
11.	PE/772 (1600mm)			1605.2	61.9	65.0	0.27	-0.2	515	
12.	PE/773 (315mm)			316.0	24.0	25.3	0.27	-0.1	681	
13.	PE/774 (1200mm)			1204.8	48.7	51.3	0.29	-0.1	638	

End of Test Report

Prepared By: Assistant Director
Reviewed By: Deputy Director
Director: QCC (North) Lahore (8567)

For terms and conditions, turn over leaf.

234-A, PITAC Compound, Ferozpur Road, Lahore. 042-99230617-18 | Website: www.psqca.gov.pk | Email: info-psqca@pvtmail.com

QUALITY CONTROL TEST REPORT



QUALITY CONTROL CENTRE

PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY
MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN



PSQCA

St. A 0567

TEST REPORT

Your Ref. No: SDC-CM (SLO-030)/14
Dated: - 23-12-2024
Samples Receiving Date: - 01-01-2025

Our Ref. No: QCC/4(378)/24-25 (2024)
Dated: - 11-02-2025

Samples Received From: The Inspecting Officer,
Report Issue To: SDC Liaison Office,
PSQCA, GUJRANWALA.

No. of Samples: Eight (08)
Specification against which Tested:
PSS: 4533 - 34/1999 (R)

Subject: TESTING OF SAMPLES STATED TO BE "PPRC PIPES" PLASCO BRAND (COLLECTED FROM M/S. PLASCO PVC PIPE INDUSTRIES (PVT.) LTD., G.T. ROAD, BYPASS GUJRAT).

The above samples as received have been tested with the following results;

S. No.	Description of Tests	Results Corresponding to Lab. Reg. Nos. & Identification Marks							
		PE/754 25mm	PE/755 32mm	PE/756 40mm	PE/757 50mm	PE/758 63mm	PE/759 75mm	PE/760 90mm	PE/761 110mm
1	Classification of Pipe	--- PN - 20 ---							
2	Mean Outside Diameter (mm)	25.2	32.1	40.2	50.3	63.4	75.3	90.5	110.4
3	Mean Wall Thickness (mm)	4.6	5.8	7.2	8.8	11.1	13.5	15.7	19.2
4	Heat Reversion Test at 135°C for 120 Minutes (%)	-1.7	-1.5	-1.5	-1.1	-1.0	-0.5	-0.5	-0.4
5	Creep Strength Test for 01 Hour	--- No Failure ---							
6	Ovality Test (mm)	0.35	0.46	0.30	0.51	0.65	0.71	0.60	0.76
7	Surface Finish/Appearance	--- Surface Free From Defects ---							
8	Marking	--- Present ---							

End of Test Report

Prepared By:
Assistant Director

Reviewed By:
Deputy Director

Director QCC (North)
Lahore (0567)



For terms and conditions, turn over leaf.

234-A, PITAC Compound, Ferozepur Road, Lahore. 042-99230617-18 | Website: www.psqca.com.pk | Email: qcc-quality@hotmail.com

QUALITY CONTROL TEST REPORT



QUALITY CONTROL CENTRE

PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY
MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN



PSQCA

Sr. A 0566

TEST REPORT

Your Ref. No: SDC-CM (L-1819)/08

Dated: - 23-12-2024

Samples Receiving Date: - 01-01-2025

Samples Received From: The Inspecting Officer,

Report Issue To: SDC Liaison Office,

PSQCA, GUJRANWALA.

Our Ref. No: QCC/4(378)/24-25 (208)

Dated: - 11-02-2025

No. of Samples: Nine (09)

Specification against which Tested:

PSS: 3051 - 2017 (R)

Subject: TESTING OF SAMPLES STATED TO BE "UPVC PRESSURE PIPES FOR COLD PORTABLE WATER" LASANI BRAND (COLLECTED FROM M/S. PLASCO PVC PIPE INDUSTRIES (PVT.) LTD., G.T. ROAD, BYPASS GUJRAT).

The above samples as received have been tested with the following results:

Sr. No.	Description of Tests	Results Corresponding to Lab. Reg. Nos. & Identification Marks								
		PE/745 2"	PE/746 3"	PE/747 4"	PE/748 6"	PE/749 8"	PE/750 10"	PE/751 12"	PE/752 14"	PE/753 18"
1	Classification of Pipe	D	B	B	B	B	B	B	B	B
2	Colour of Pipe	--- Gray ---								
3	Superficial Appearance	--- Surface Free From Defects ---								
4	Mean Outside Diameter (mm)									
	Min. Max.	60.2 60.4	88.7 89.0	114.2 114.5	168.1 168.4	218.8 219.2	272.7 273.0	323.6 324.1	355.5 356.0	456.7 457.2
5	Wall Thickness (mm)									
	Min. Max.	3.3 3.5	3.0 3.3	3.4 3.8	4.5 5.0	5.5 6.0	6.8 7.2	7.8 8.5	8.8 9.4	11.5 12.3
6	Specific Gravity	1.46	1.46	1.46	1.44	1.45	1.44	1.45	1.45	1.46
7	Opacity Test (%)	0.05	0.09	0.07	0.08	0.04	0.001	0.002	0.001	0.001
8	Short Term Hydrostatic Pressure Test	--- No Failure ---								
9	Impact Resistance Test	--- Satisfactory ---								
10	Longitudinal Reversion Test at 150°C (%)	-3.5	-3.5	-3.7	-3.2	-2.7	-2.5	-1.7	-2.0	-1.2
11	Resistance to Delamination at 150°C	--- No Crack ---								
12	Fracture Toughness Test	N.A	--- Not Broke / Crack ---							
13	Marking	--- Present ---								

End of Test Report

Prepared By
Assistant Director

Reviewed By
Deputy Director




Director, QCC (North)
Lahore (0566)




For terms and conditions, turn over leaf.

234-A, PITAC Compound, Ferozepur Road, Lahore. 042-99230617-18 | Website: www.psqca.com.pk | Email: qcc-quality@hotmail.com

QUALITY CONTROL TEST REPORT



QUALITY CONTROL CENTRE
PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY
 MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN



Sr. A 0370

TEST REPORT

Your Ref. No: - Nil -
 Dated: - 11-12-2024
 Samples Receiving Date: - 30-12-2024

Samples Received From: Ch. Zain Pervaiz
 Report Issue To: Director,
 M/s: Plasco PVC Pipe Ind.,
 (Pvt.) Ltd. G.T. Road, Bypass
GUJRAT.

Subject: - TESTING OF SAMPLES STATED TO BE "UPVC (SWV & CONDUITS) FITTINGS" "PLASCO BRAND".

Our Ref. No: QCC/4(378)/24-25 (49)
 Dated: - 10-01-2025


No. of Samples: Six (06)
 Specification against which Tested:
 As per Test Request & EN 1329


The above samples as received have been tested with the following test results;


Sr. No.	Description of Tests	Results Corresponding to Labs. Registration No. & Identification.					
		PE/732 (56mm) Elbow	PE/733 (82mm) Socket	PE/734 (110mm) Y-Tee	PE/735 (1") Joint Box Roof Type	PE/736 (1") Joint Box Wall Type	PE/737 (1") Bend
1.	Impact Resistance	--- Not Broke ---			-	-	-
2.	Resistance to Dichloromethane	--- No Crack ---			-	-	-
3.	Compression Test (%)	-	-	-	-	-	4.6
4.	Compressive Load (KN)	-	-	-	17.5	8.2	-


End of Test Report

Remarks: This report pertains to the samples provided by the client for the mentioned test parameters only.


 Prepared By
 Assistant Director


 Reviewed By
 Deputy Director








 Director, QCC (North)
 Lahore (0370)





For terms and conditions, turn over leaf.

234-A, PITAC Compound, Ferozepur Road, Lahore. 042-99230617-18 | Website: www.psqca.com.pk | Email: qcc-quality@hotmail.com

QUALITY CONTROL TEST REPORT


	QUALITY CONTROL CENTRE PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY MINISTRY OF SCIENCE AND TECHNOLOGY GOVERNMENT OF PAKISTAN		Sr. A 0366		
TEST REPORT					
Your Ref. No: -Nil- Dated: - 17-12-2024 Samples Receiving Date: - 30-12-2024		Our Ref. No: QCC/4(378)/24-25 (29) Dated: - 08-01-2025			
Samples Received From: Ch. Zain Pervaiz, Report Issue To: Director, M/s: Plasco PVC Pipe Industries, (Pvt.) Ltd., G.T Road Bypass <u>GUJRAT.</u>		No. of Samples: Four (04) Specification against which Tested: BS-6099 / PSS: 1905			
Subject: - <u>TESTING OF SAMPLES STATED TO BE "UPVC ELECTRICAL CONDUIT PIPES"</u> <u>(PLASCO PIPES)</u>					
The above samples as received have been tested with the following results;					
Sr. No.	Description of Tests	Results Corresponding to Lab. Reg. No.			
		PE/726 (¾")	PE/727 (1")	PE/728 (1.5")	PE/729 (2")
1.	Outside Diameter (mm)				
	Min.	21.2	26.5	42.3	60.2
	Max.	21.4	26.9	42.5	60.4
2.	Wall Thickness (mm)				
	Min.	1.20	1.25	1.70	1.78
	Max.	1.26	1.31	1.80	1.83
3.	Impact Test	--- Pass (No Crack Observed) ---			
4.	Resistance to Burning	--- Satisfactory ---			
5.	Compression Test (%)	5.3	4.7	4.5	3.5
6.	Insulation Resistance Test (M-Ohms)	1500	2000	1500	1000
7.	Electrical Insulating Strength	--- No Breakdown ---			
End of Test Report					
Remarks: This report pertains to the sample provided by the client for the mentioned test parameters only.					
 Prepared By Assistant Director		 Reviewed By Deputy Director		 Director, QCC (North) Lahore (0366)	
					
For terms and conditions, turn over leaf.					
234-A, PITAC Compound, Ferozepur Road, Lahore. 042-99230617-18 Website: www.psqca.com.pk Email: qcc-quality@hotmail.com					

QUALITY CONTROL
TEST REPORT



APPRECIATION LETTER


NLC



APPRECIATION LETTER DEFENCE HOUSING SOCIETY



APPRECIATION LETTER GENERAL HEADQUARTERS




APPRECIATION LETTER ASTRAL CONSTRUCTORS



APPRECIATION LETTER NATIONAL ENGINEERS CO.



APPRECIATION LETTER DHAI TELEMAN



APPRECIATION LETTER NAYATEL (PVT.) LTD.



APPRECIATION LETTER MCC RUBA INTERNATIONAL REAL ESTATE HOLDING (PVT.) LTD.



APPRECIATION LETTER POWER PROFESSIONALS



APPRECIATION LETTER TAHIR BUILDERS (PVT.) LTD.




APPRECIATION LETTER HABIB CONSTRUCTION



APPRECIATION LETTER HUAWEI TECHNOLOGIES (PVT.) LTD.



APPRECIATION LETTER BAHRIA TOWN (PVT.) LTD.




APPRECIATION LETTER PARAGON CONSTRUCTION



APPRECIATION LETTER PAK GULF CONSTRUCTION



APPRECIATION LETTER SEASONMASTER ENGINEERING





Quality Guaranteed

PLASCO PIPES
INDUSTRIES (PVT) LIMITED

FIND US



Head Office
G.T Road, Bypass, Gujrat
053-3589620-1 | 0321-5959400



Lahore Office
119 Main Boulevard,
2nd Floor, DHA Phase 6
0335-6201888
0332-7772443



Islamabad Office
2nd Floor, Plaza No. 8, Tulip
Road, DHA Phase 2
0333-7771461
051-8483888



Quetta Office
Al-Rahman Plaza,
Model Town
0300-2534529
0321-8731535



Karachi Office
0303-7771135



plascopepipes



0321-5959400



plascopepipes.com



info@plascopepipes.com

